

Appendix 1: Table containing all estimations for bird trends during the 2001 – 2023 period. All species are identified through their scientific names. Estimates of mean year effect on abundance and their associated standard errors are provided in the columns “Estimate” and “Standard error”, respectively. These estimates were converted to mean annual growth rate (“Growth rate” column), together with its 95% confidence interval. The corresponding mean percentage of increase (or decrease) over the 2001 – 2023 period is given in the “Percentage of increase/decrease” column, together with their 95% confidence interval. Finally, the p-value associated with the effect of year on abundance and the trend classification obtained for each species can be found in the columns “P-value” and “Trend category”, respectively. NE means no estimation was available due to convergence issue. Species identified with a symbol * were only present since 2002.

Scientific name	Estimate	Standard error	Growth rate	Percentage of increase/decrease	P-value	Trend category
<i>Accipiter nisus</i>	0.0021	0.0042	1.002 [0.994;1.01]	+4.8% [-12.6%; +25.7%]	0.612	Stable
<i>Acrocephalus arundinaceus</i>	-0.0126	0.0209	0.987 [0.948;1.029]	-24.3% [-69.3%; +86.8%]	0.546	Uncertain
<i>Acrocephalus palustris</i>	-0.0186	0.0102	0.982 [0.962;1.001]	-33.6% [-57.2%; +3%]	0.067	Stable
<i>Acrocephalus schoenobaenus</i>	-0.0221	0.013	0.978 [0.954;1.003]	-38.5% [-64.8%; +7.6%]	0.089	Uncertain
<i>Acrocephalus scirpaceus</i>	-0.0136	0.0062	0.987 [0.975;0.999]	-25.8% [-43.1%; -3.2%]	0.028	Moderate decline
<i>Actitis hypoleucos</i>	-0.0208	0.0118	0.979 [0.957;1.002]	-36.7% [-61.9%; +5.3%]	0.078	Uncertain
<i>Aegithalos caudatus</i>	7,00E-04	0.0028	1.001 [0.995;1.006]	+1.5% [-9.9%; +14.3%]	0.805	Stable
<i>Alauda arvensis</i>	-0.0139	0.0019	0.986 [0.982;0.99]	-26.3% [-32.2%; -19.9%]	<0.001	Moderate decline
<i>Alcedo atthis</i>	0.0171	0.0071	1.017 [1.003;1.031]	+45.8% [+7.5%; +97.7%]	0.015	Moderate increase
<i>Alectoris rufa</i>	-0.0196	0.005	0.981 [0.971;0.99]	-35.1% [-47.7%; -19.3%]	<0.001	Moderate decline
<i>Anas platyrhynchos</i>	0.0045	0.0039	1.004 [0.997;1.012]	+10.4% [-6.6%; +30.4%]	0.245	Stable
<i>Anthus campestris</i>	-0.0077	0.0131	0.992 [0.967;1.018]	-15.7% [-52.2%; +48.7%]	0.556	Stable
<i>Anthus pratensis</i>	-0.0722	0.0127	0.93 [0.907;0.954]	-79.6% [-88.2%; -64.7%]	<0.001	Strong decline
<i>Anthus trivialis</i>	-0.0217	0.0029	0.979 [0.973;0.984]	-37.9% [-45.2%; -29.7%]	<0.001	Moderate decline
<i>Apus apus</i>	-0.0472	0.0034	0.954 [0.948;0.96]	-64.6% [-69.4%; -59%]	<0.001	Strong decline
<i>Ardea cinerea</i>	0.0115	0.0038	1.012 [1.004;1.019]	+28.9% [+9.3%; +51.9%]	0.003	Moderate increase
<i>Athene noctua</i>	0.02	0.0084	1.02 [1.004;1.037]	+55.2% [+8.1%; +122.6%]	0.017	Moderate increase
<i>Branta canadensis</i>	0.0911	0.0228	1.095 [1.047;1.146]	+641.8% [+177.1%; +1885.8%]	<0.001	Strong increase
<i>Bubulcus ibis</i>	0.2039	0.0213	1.226 [1.176;1.278]	+8765.9% [+3444.4%; +22077.3%]	<0.001	Strong increase
<i>Burhinus oedicephalus</i>	0.0058	0.0078	1.006 [0.99;1.021]	+13.6% [-19%; +59.3%]	0.462	Stable
<i>Buteo buteo</i>	0.0019	0.0017	1.002 [0.999;1.005]	+4.3% [-2.9%; +12%]	0.251	Stable
<i>Carduelis cannabina</i>	0.0128	0.0035	1.013 [1.006;1.02]	+32.6% [+14.1%; +54.2%]	<0.001	Moderate increase
<i>Carduelis carduelis</i>	-0.0066	0.0022	0.993 [0.989;0.998]	-13.5% [-21.3%; -4.9%]	0.003	Moderate decline
<i>Carduelis chloris</i>	-0.0423	0.0019	0.959 [0.955;0.962]	-60.6% [-63.7%; -57.3%]	<0.001	Moderate to strong decline
<i>Certhia brachydactyla</i>	0.0129	0.0018	1.013 [1.009;1.017]	+32.9% [+23%; +43.6%]	<0.001	Moderate increase

<i>Certhia familiaris</i>	-0.0035	0.0069	0.997 [0.983;1.01]	-7.4% [-31.2%; +24.7%]	0.614	Stable
<i>Cettia cetti</i>	0.0166	0.0058	1.017 [1.005;1.028]	+44% [+12.1%; +84.9%]	0.004	Moderate increase
<i>Charadrius dubius</i>	-0.0217	0.0148	0.978 [0.951;1.007]	-38% [-67.2%; +17.2%]	0.141	Uncertain
<i>Ciconia ciconia</i>	0.1102	0.0164	1.117 [1.081;1.153]	+1030.3% [+458.2%; +2188.8%]	<0.001	Strong increase
<i>Cinclus cinclus</i>	-0.0087	0.0117	0.991 [0.969;1.014]	-17.4% [-50.2%; +37%]	0.459	Stable
<i>Circus aeruginosus</i>	-0.0104	0.008	0.99 [0.974;1.005]	-20.5% [-43.7%; +12.1%]	0.191	Stable
<i>Circus cyaneus</i>	-0.0358	0.0054	0.965 [0.955;0.975]	-54.5% [-64%; -42.5%]	<0.001	Moderate decline
<i>Circus pygargus</i>	-0.0355	0.0073	0.965 [0.951;0.979]	-54.2% [-66.6%; -37.2%]	<0.001	Moderate decline
<i>Cisticola juncidis</i>	0.0401	0.0076	1.041 [1.025;1.057]	+141.8% [+73.9%; +236.2%]	<0.001	Moderate to strong increase
<i>Coccothraustes coccothraustes</i>	0.0123	0.0052	1.012 [1.002;1.023]	+31.2% [+4.9%; +64%]	0.017	Moderate increase
<i>Columba livia</i>	0.0595	0.0076	1.061 [1.046;1.077]	+270% [+167.1%; +412.5%]	<0.001	Strong increase
<i>Columba oenas</i>	0.0594	0.0061	1.061 [1.049;1.074]	+269.8% [+183.8%; +381.7%]	<0.001	Strong increase
<i>Columba palumbus</i>	0.0392	0.0013	1.04 [1.037;1.043]	+136.8% [+123.8%; +150.5%]	<0.001	Strong increase
<i>Corvus corone</i>	-3,00E-04	0.0014	1 [0.997;1.003]	-0.6% [-6.5%; +5.7%]	0.855	Stable
<i>Corvus frugilegus</i>	-0.0207	0.0085	0.98 [0.963;0.996]	-36.5% [-56%; -8.4%]	0.015	Moderate decline
<i>Corvus monedula</i>	0.0519	0.0063	1.053 [1.04;1.066]	+213.1% [+138.8%; +310.6%]	<0.001	Strong increase
<i>Corvus corax</i>	0.031	0.0079	1.031 [1.016;1.048]	+97.8% [+40.8%; +177.9%]	<0.001	Moderate to strong increase
<i>Coturnix coturnix</i>	-0.0204	0.0043	0.98 [0.972;0.988]	-36.2% [-47%; -23.2%]	<0.001	Moderate decline
<i>Cuculus canorus</i>	-0.0114	0.0016	0.989 [0.986;0.992]	-22.1% [-27.3%; -16.6%]	<0.001	Moderate decline
<i>Cygnus olor</i>	NE	NE	NE	NE	NE	NE
<i>Delichon urbicum</i>	-0.0191	0.0049	0.981 [0.972;0.991]	-34.3% [-46.8%; -18.9%]	<0.001	Moderate decline
<i>Dendrocopos major</i>	0.0133	0.0015	1.013 [1.01;1.016]	+34% [+25.8%; +42.6%]	<0.001	Moderate increase
<i>Dendrocopos medius</i>	0.0438	0.0062	1.045 [1.032;1.058]	+162.3% [+101.2%; +242.1%]	<0.001	Strong increase
<i>Dendrocopos minor</i>	-0.0016	0.0046	0.998 [0.989;1.007]	-3.5% [-20.9%; +17.8%]	0.727	Stable
<i>Dryocopus martius</i>	0.0113	0.0031	1.011 [1.005;1.018]	+28.2% [+11.9%; +46.8%]	<0.001	Moderate increase
<i>Ardea alba</i>	0.0887	0.0177	1.093 [1.056;1.131]	+603.4% [+228.4%; +1406.4%]	<0.001	Strong increase
<i>Egretta garzetta</i>	0.0206	0.0121	1.021 [0.997;1.045]	+57.5% [-6.4%; +165.1%]	0.087	Uncertain
<i>Emberiza cia</i>	-0.0489	0.0124	0.952 [0.929;0.976]	-65.9% [-80.1%; -41.8%]	<0.001	Moderate to strong decline

<i>Emberiza cirrus</i>	0.0099	0.0026	1.01 [1.005;1.015]	+24.3% [+10.9%; +39.2%]	<0.001	Moderate increase
<i>Emberiza citrinella</i>	-0.0575	0.0023	0.944 [0.94;0.948]	-71.8% [-74.5%; -68.8%]	<0.001	Strong decline
<i>Emberiza hortulana</i>	-0.0788	0.0194	0.924 [0.89;0.96]	-82.3% [-92.3%; -59.2%]	<0.001	Strong decline
<i>Emberiza schoeniclus</i>	-0.0459	0.0098	0.955 [0.937;0.974]	-63.6% [-76.1%; -44.5%]	<0.001	Moderate to strong decline
<i>Erithacus rubecula</i>	0.0098	0.0013	1.01 [1.007;1.013]	+24.2% [+17.3%; +31.4%]	<0.001	Moderate increase
<i>Falco subbuteo</i>	-0.0087	0.0063	0.991 [0.979;1.004]	-17.5% [-37%; +8.2%]	0.164	Stable
<i>Falco tinnunculus</i>	0.0039	0.0021	1.004 [1;1.008]	+9% [-0.6%; +19.5%]	0.066	Stable
<i>Ficedula hypoleuca</i>	-0.001	0.009	0.999 [0.981;1.017]	-2.2% [-33.7%; +44.3%]	0.911	Stable
<i>Fringilla coelebs</i>	-6,00E-04	8,00E-04	0.999 [0.998;1.001]	-1.4% [-4.9%; +2.2%]	0.450	Stable
<i>Fulica atra</i>	-0.0101	0.007	0.99 [0.976;1.004]	-19.9% [-40.8%; +8.3%]	1.49	Stable
<i>Gallinula chloropus</i>	-0.0167	0.0038	0.983 [0.976;0.991]	-30.7% [-41.3%; -18.2%]	<0.001	Moderate decline
<i>Galerida cristata</i>	-0.0218	0.0119	0.978 [0.956;1.002]	-38.1% [-62.9%; +3.5%]	0.067	Uncertain
<i>Garrulus glandarius</i>	0.0027	0.0014	1.003 [1;1.006]	+6.1% [-0.3%; +12.9%]	0.062	Stable
<i>Hippolais icterina*</i>	-0.0617	0.019	0.94 [0.906;0.976]	-72.6% [-87.5%; -40.2%]	0.001	Moderate to strong decline
<i>Hippolais polyglotta</i>	0.0015	0.0023	1.001 [0.997;1.006]	+3.3% [-6.3%; +13.8%]	0.515	Stable
<i>Hirundo rustica</i>	-0.0239	0.002	0.976 [0.973;0.98]	-40.9% [-45.8%; -35.5%]	<0.001	Moderate decline
<i>Jynx torquilla</i>	0.0079	0.0053	1.008 [0.998;1.018]	+18.9% [-5.2%; +49.2%]	0.135	Stable
<i>Lanius collurio</i>	0.0114	0.0031	1.011 [1.005;1.018]	+28.5% [+12.4%; +47.1%]	<0.001	Moderate increase
<i>Lanius senator</i>	-0.0179	0.0121	0.982 [0.959;1.006]	-32.5% [-60%; +13.8%]	0.140	Uncertain
<i>Larus argentatus</i>	0.0126	0.0173	1.013 [0.979;1.048]	+32% [-37.3%; +177.9%]	0.466	Uncertain
<i>Larus fuscus</i>	0.019	0.0245	1.019 [0.971;1.069]	+51.8% [-47.2%; +335.9%]	0.438	Uncertain
<i>Larus michahellis</i>	0.0388	0.0151	1.04 [1.009;1.071]	+135% [+22.6%; +350.4%]	0.010	Moderate to strong increase
<i>Chroicocephalus ridibundus</i>	-0.0061	0.0166	0.994 [0.962;1.027]	-12.5% [-57.2%; +78.9%]	0.714	Stable
<i>Locustella naevia</i>	-0.0576	0.0059	0.944 [0.933;0.955]	-71.8% [-78.2%; -63.7%]	<0.001	Strong decline
<i>Lullula arborea</i>	0.0205	0.0032	1.021 [1.014;1.027]	+57.1% [+37%; +80.2%]	<0.001	Moderate increase
<i>Luscinia megarhynchos</i>	-0.0011	0.0016	0.999 [0.996;1.002]	-2.3% [-8.7%; +4.6%]	0.499	Stable
<i>Luscinia svecica</i>	0.016	0.0147	1.016 [0.987;1.046]	+42.2% [-24.5%; +168%]	0.276	Uncertain
<i>Merops apiaster</i>	0.0188	0.0193	1.019 [0.981;1.058]	+51.1% [-34.3%; +247.4%]	0.331	Uncertain

<i>Emberiza calandra</i>	0.0036	0.0036	1.004 [0.997;1.011]	+8.3% [-7.3%; +26.6%]	0.312	Stable
<i>Milvus migrans</i>	0.0274	0.0033	1.028 [1.021;1.034]	+82.7% [+58.7%; +110.3%]	<0.001	Moderate increase
<i>Milvus milvus</i>	0.0821	0.012	1.086 [1.06;1.111]	+508.7% [+263.2%; +920.2%]	<0.001	Strong increase
<i>Motacilla alba</i>	9,00E-04	0.0021	1.001 [0.997;1.005]	+2.1% [-6.9%; +12%]	0.660	Stable
<i>Motacilla cinerea</i>	0.0116	0.0057	1.012 [1;1.023]	+29.1% [+1%; +65.1%]	0.042	Moderate increase
<i>Motacilla flava</i>	-0.0061	0.0045	0.994 [0.985;1.003]	-12.5% [-27.8%; +6%]	0.173	Stable
<i>Muscicapa striata</i>	0.0017	0.0054	1.002 [0.991;1.012]	+3.8% [-17.9%; +31.2%]	0.758	Stable
<i>Numenius arquata</i>	-0.0521	0.0197	0.949 [0.913;0.987]	-68.2% [-86.4%; -25.7%]	0.008	Moderate to strong decline
<i>Oenanthe oenanthe</i>	3,00E-04	0.0134	1 [0.974;1.027]	+0.8% [-43.5%; +79.7%]	0.980	Stable
<i>Oriolus oriolus</i>	0.0051	0.002	1.005 [1.001;1.009]	+12% [+2.7%; +22%]	0.010	Moderate increase
<i>Periparus ater</i>	-0.0272	0.0041	0.973 [0.965;0.981]	-45% [-53.9%; -34.4%]	<0.001	Moderate decline
<i>Cyanistes caeruleus</i>	0.0058	0.0015	1.006 [1.003;1.009]	+13.6% [+6.7%; +21%]	<0.001	Moderate increase
<i>Lophophanes cristatus</i>	-0.009	0.0041	0.991 [0.983;0.999]	-18.1% [-31.3%; -2.2%]	0.027	Moderate decline
<i>Parus major</i>	7,00E-04	0.001	1.001 [0.999;1.003]	+1.5% [-2.7%; +5.9%]	0.479	Stable
<i>Parus montanus</i>	-0.055	0.0074	0.947 [0.933;0.96]	-70.2% [-78.3%; -58.9%]	<0.001	Strong decline
<i>Poecile palustris</i>	-0.0121	0.0032	0.988 [0.982;0.994]	-23.4% [-33.3%; -12.1%]	<0.001	Moderate decline
<i>Passer domesticus</i>	0.004	0.0019	1.004 [1;1.008]	+9.3% [+0.6%; +18.7%]	0.036	Moderate increase
<i>Passer montanus</i>	-0.0926	0.0083	0.912 [0.897;0.926]	-87% [-90.9%; -81.4%]	<0.001	Strong decline
<i>Pernis apivorus</i>	0.0187	0.0128	1.019 [0.994;1.045]	+50.8% [-13.3%; +162.4%]	0.146	Uncertain
<i>Perdix perdix</i>	-0.0316	0.0062	0.969 [0.957;0.981]	-50.1% [-61.9%; -34.7%]	<0.001	Moderate decline
<i>Petronia petronia</i>	0.0453	0.0193	1.046 [1.007;1.087]	+170.6% [+17.5%; +523.4%]	0.019	Moderate to strong increase
<i>Phalacrocorax carbo</i>	0.0604	0.0122	1.062 [1.037;1.088]	+277.3% [+123.4%; +537.1%]	<0.001	Strong increase
<i>Phasianus colchicus</i>	0.0177	0.0029	1.018 [1.012;1.024]	+47.6% [+30.2%; +67.2%]	<0.001	Moderate increase
<i>Phoenicurus ochruros</i>	-0.0018	0.0016	0.998 [0.995;1.001]	-3.8% [-10.1%; +2.9%]	0.260	Stable
<i>Phoenicurus phoenicurus</i>	0.0276	0.0031	1.028 [1.022;1.034]	+83.6% [+60.7%; +109.8%]	<0.001	Moderate increase
<i>Phylloscopus bonelli</i>	0.0232	0.0044	1.023 [1.015;1.032]	+66.6% [+37.6%; +101.8%]	<0.001	Moderate increase
<i>Phylloscopus collybita</i>	-0.0036	0.0011	0.996 [0.994;0.999]	-7.5% [-11.6%; -3.2%]	<0.001	Moderate decline
<i>Phylloscopus sibilatrix</i>	-0.0141	0.0048	0.986 [0.977;0.995]	-26.6% [-40.4%; -9.7%]	0.003	Moderate decline

<i>Phylloscopus trochilus</i>	-0.0446	0.0051	0.956 [0.947;0.966]	-62.5% [-70%; -53.3%]	<0.001	Moderate to strong decline
<i>Picus canus</i>	-0.0251	0.0112	0.975 [0.954;0.997]	-42.4% [-64.4%; -6.8%]	0.025	Moderate decline
<i>Pica pica</i>	0.0105	0.0019	1.011 [1.007;1.014]	+26.1% [+16.2%; +36.7%]	<0.001	Moderate increase
<i>Picus viridis</i>	-0.0034	0.0016	0.997 [0.994;1]	-7.2% [-13.4%; -0.6%]	0.034	Moderate decline
<i>Podiceps cristatus</i>	-0.0399	0.012	0.961 [0.939;0.984]	-58.5% [-75.2%; -30.4%]	<0.001	Moderate to strong decline
<i>Prunella modularis</i>	-0.0221	0.0022	0.978 [0.974;0.982]	-38.6% [-44%; -32.5%]	<0.001	Moderate decline
<i>Psittacula krameri</i>	0.206	0.0187	1.229 [1.185;1.275]	+9188.4% [+4049.7%; +20690.9%]	<0.001	Strong increase
<i>Ptyonoprogne rupestris</i>	0.0075	0.0179	1.007 [0.973;1.044]	+17.9% [-45.6%; +155.5%]	0.677	Uncertain
<i>Pyrrhula pyrrhula</i>	-0.0311	0.0041	0.969 [0.962;0.977]	-49.5% [-57.8%; -39.7%]	<0.001	Moderate decline
<i>Regulus ignicapilla</i>	0.0332	0.0031	1.034 [1.027;1.04]	+107.5% [+81.5%; +137.1%]	<0.001	Moderate to strong increase
<i>Regulus regulus</i>	-0.0335	0.0037	0.967 [0.96;0.974]	-52.2% [-59.2%; -44%]	<0.001	Moderate decline
<i>Riparia riparia</i>	-0.013	0.0185	0.987 [0.952;1.023]	-24.9% [-66.1%; +66.6%]	0.482	Uncertain
<i>Saxicola rubetra</i>	-0.0571	0.0113	0.945 [0.924;0.966]	-71.5% [-82.5%; -53.7%]	<0.001	Moderate to strong decline
<i>Saxicola rubicola</i>	-0.0019	0.0024	0.998 [0.993;1.003]	-4.2% [-13.7%; +6.4%]	0.425	Stable
<i>Serinus serinus</i>	-0.029	0.0027	0.971 [0.966;0.977]	-47.1% [-53%; -40.5%]	<0.001	Moderate decline
<i>Sitta europaea</i>	-0.0123	0.0021	0.988 [0.984;0.992]	-23.7% [-30.3%; -16.5%]	<0.001	Moderate decline
<i>Sterna hirundo</i>	-0.0061	0.0177	0.994 [0.96;1.029]	-12.6% [-59.3%; +87.8%]	0.730	Uncertain
<i>Strix aluco</i>	-0.0317	0.0069	0.969 [0.956;0.982]	-50.2% [-63.1%; -32.8%]	<0.001	Moderate decline
<i>Streptopelia decaocto</i>	0.0039	0.0016	1.004 [1.001;1.007]	+9% [+1.6%; +16.8%]	0.016	Moderate increase
<i>Streptopelia turtur</i>	-0.0383	0.0022	0.962 [0.958;0.966]	-57% [-60.8%; -52.8%]	<0.001	Moderate decline
<i>Sturnus vulgaris</i>	0.0229	0.0025	1.023 [1.018;1.028]	+65.6% [+48.7%; +84.4%]	<0.001	Moderate increase
<i>Sylvia atricapilla</i>	0.0128	9,00E-04	1.013 [1.011;1.015]	+32.6% [+27.6%; +37.9%]	<0.001	Moderate increase
<i>Sylvia borin</i>	-0.0273	0.0029	0.973 [0.968;0.979]	-45.2% [-51.5%; -37.9%]	<0.001	Moderate decline
<i>Sylvia cantillans</i>	0.0137	0.0078	1.014 [0.998;1.029]	+35.1% [-3.3%; +88.7%]	0.078	Stable
<i>Sylvia communis</i>	-0.0038	0.0019	0.996 [0.992;1]	-7.9% [-15.3%;0%]	0.050	Stable
<i>Sylvia curruca</i>	-0.0037	0.0055	0.996 [0.986;1.007]	-7.8% [-27.3%; +16.9%]	0.501	Stable
<i>Sylvia hortensis</i>	0.0121	0.0149	1.012 [0.983;1.042]	+30.5% [-31.3%; +148.1%]	0.417	Uncertain
<i>Sylvia melanocephala</i>	0.0061	0.0073	1.006 [0.992;1.021]	+14.3% [-16.7%; +56.8%]	0.408	Stable

<i>Sylvia undata</i>	NE	NE	NE	NE	NE	NE
<i>Tachybaptus ruficollis</i>	-0.0189	0.011	0.981 [0.96;1.003]	-34% [-58.9%; +6.1%]	0.086	Uncertain
<i>Tadorna tadorna</i>	0.0432	0.0172	1.044 [1.009;1.08]	+158.4% [+22.9%; +443.2%]	0.012	Moderate to strong increase
<i>Troglodytes troglodytes</i>	-0.0155	0.0012	0.985 [0.982;0.987]	-29% [-32.6%; -25.1%]	<0.001	Moderate decline
<i>Turdus merula</i>	-0.0012	9,00E-04	0.999 [0.997;1.001]	-2.6% [-6.5%; +1.4%]	0.194	Stable
<i>Turdus philomelos</i>	-8,00E-04	0.0014	0.999 [0.996;1.002]	-1.8% [-7.7%; +4.4%]	0.558	Stable
<i>Turdus pilaris</i>	-0.0212	0.012	0.979 [0.956;1.002]	-37.3% [-62.6%; +5.1%]	0.077	Uncertain
<i>Turdus torquatus</i>	-0.027	0.0166	0.973 [0.942;1.005]	-44.8% [-73%; +12.8%]	0.103	Uncertain
<i>Turdus viscivorus</i>	0.0043	0.0026	1.004 [0.999;1.009]	+10% [-1.6%; +22.9%]	0.093	Stable
<i>Upupa epops</i>	0.0026	0.0034	1.003 [0.996;1.009]	+5.9% [-8.4%; +22.5%]	0.435	Stable
<i>Vanellus vanellus</i>	-0.0563	0.0102	0.945 [0.927;0.964]	-71% [-81.3%; -55%]	<0.001	Moderate to strong decline