

Appendix 4: Table containing all estimations for plant trends during the 2009 – 2023 period. All species are identified through their scientific names. Estimates of mean year effect on abundance and their associated standard errors are given by the columns “Estimate” and “Standard error”, respectively. These estimates were converted to mean annual growth rate, that can be found in the “Growth rate” column, together with the associated 95% confidence interval. The corresponding mean percentage of increase (or decrease) over the 2009 – 2023 period is given in the “Percentage of increase/decrease” column, together with their associated 95% confidence interval. Finally, the p-value associated with the effect of year on abundance and the trend classification obtained for each species can be found in the columns “P-value” and “Trend category”, respectively. NE means no estimation was available due to convergence issue. Species identified with a symbol * were only present from 2010.

Scientific name	Estimate	Standard error	Growth rate	Percentage	P-value	Trend category
<i>Acer campestre</i>	0.0718	0.0184	1.074 [1.036;1.114]	+173.1% [+64.7%; +353.1%]	<0.001	Strong increase
<i>Acer platanoides</i>	-0.027	0.0353	0.973 [0.908;1.043]	-31.5% [-74%; +80.4%]	0.444	Uncertain
<i>Acer pseudoplatanus</i>	0.0278	0.0175	1.028 [0.994;1.064]	+47.5% [-8.7%; +138.4%]	0.112	Uncertain
<i>Achillea millefolium</i>	0.0107	0.0251	1.011 [0.962;1.062]	+16.2% [-41.6%; +131.2%]	0.668	Uncertain
<i>Agrimonia eupatoria</i>	0.073	0.0438	1.076 [0.987;1.172]	+178% [-16.4%; +824.6%]	0.096	Uncertain
<i>Agrostis capillaris</i>	0.0439	0.0187	1.045 [1.007;1.084]	+84.9% [+10.8%; +208.6%]	0.019	Moderate to strong increase
<i>Agrostis stolonifera</i>	-0.0053	0.0223	0.995 [0.952;1.039]	-7.2% [-49.7%; +71.4%]	0.812	Uncertain
<i>Ajuga reptans</i>	-0.0217	0.0363	0.979 [0.911;1.051]	-26.2% [-72.8%; +100.1%]	0.551	Uncertain
<i>Alliaria petiolata</i>	0.085	0.0345	1.089 [1.018;1.165]	+228.8% [+27.7%; +746.8%]	0.014	Moderate to strong increase
<i>Alopecurus myosuroides</i>	0.0015	0.0182	1.002 [0.966;1.038]	+2.1% [-38.1%; +68.5%]	0.934	Uncertain
<i>Anemone nemorosa</i>	0.0194	0.0314	1.02 [0.959;1.084]	+31.2% [-44.6%; +210.6%]	0.536	Uncertain
<i>Anisantha sterilis</i>	-0.0333	0.0176	0.967 [0.935;1.001]	-37.3% [-61.3%; +1.5%]	0.058	Uncertain
<i>Anthoxanthum odoratum</i>	-0.003	0.0288	0.997 [0.942;1.055]	-4.2% [-56.5%; +111%]	0.916	Uncertain
<i>Anthriscus sylvestris</i>	0.0026	0.0309	1.003 [0.944;1.065]	+3.8% [-55.6%; +142.6%]	0.932	Uncertain
<i>Aphyllanthes monspeliensis</i>	0.0347	0.037	1.035 [0.963;1.113]	+62.6% [-41.1%; +348.8%]	0.348	Uncertain
<i>Arrhenatherum elatius</i>	0.0536	0.0171	1.055 [1.02;1.091]	+111.7% [+32.4%; +238.6%]	0.002	Moderate to strong increase
<i>Artemisia vulgaris</i>	-0.023	0.0197	0.977 [0.94;1.016]	-27.6% [-57.9%; +24.5%]	0.243	Uncertain
<i>Asparagus acutifolius</i>	0.0237	0.0325	1.024 [0.961;1.091]	+39.3% [-42.9%; +239.9%]	0.466	Uncertain
<i>Avena fatua</i>	-0.0369	0.0173	0.964 [0.932;0.997]	-40.3% [-62.9%; -4.1%]	0.033	Moderate decline
<i>Bellis perennis</i>	-0.0106	0.0196	0.989 [0.952;1.028]	-13.8% [-49.7%; +47.8%]	0.590	Uncertain
<i>Betula pendula</i>	-0.0146	0.0309	0.985 [0.928;1.047]	-18.5% [-65.1%; +90%]	0.635	Uncertain
<i>Brachypodium pinnatum</i>	-0.0977	0.0434	0.907 [0.833;0.987]	-74.5% [-92.3%; -16.2%]	0.024	Moderate to strong decline
<i>Brachypodium retusum</i>	0.0063	0.0381	1.006 [0.934;1.084]	+9.3% [-61.6%; +210.7%]	0.868	Uncertain
<i>Brachypodium sylvaticum</i>	0.0297	0.0224	1.03 [0.986;1.076]	+51.5% [-17.9%; +179.8%]	0.184	Uncertain
<i>Bromopsis erecta</i>	-0.0291	0.0473	0.971 [0.885;1.066]	-33.5% [-81.8%; +143.6%]	0.538	Uncertain
<i>Bromus hordeaceus</i>	0.0298	0.0192	1.03 [0.992;1.07]	+51.7% [-10.3%; +156.6%]	0.120	Uncertain
<i>Buxus sempervirens</i>	-0.1062	0.0464	0.899 [0.821;0.985]	-77.4% [-93.7%; -19.3%]	0.022	Moderate to strong decline

<i>Calluna vulgaris</i>	-0.0208	0.0321	0.979 [0.92;1.043]	-25.2% [-69%; +80.4%]	0.518	Uncertain
<i>Capsella bursa-pastoris</i>	-0.0624	0.0204	0.94 [0.903;0.978]	-58.2% [-76.1%; -26.8%]	0.002	Moderate to strong decline
<i>Carex flacca</i>	0.0077	0.0435	1.008 [0.925;1.097]	+11.4% [-66.2%; +267%]	0.859	Uncertain
<i>Carex sylvatica</i>	0.0927	0.0216	1.097 [1.052;1.144]	+266.2% [+102.7%; +561.5%]	<0.001	Strong increase
<i>Carpinus betulus</i>	-0.003	0.0145	0.997 [0.969;1.026]	-4.2% [-35.6%; +42.6%]	0.834	Stable
<i>Castanea sativa</i>	-0.0363	0.0171	0.964 [0.933;0.997]	-39.8% [-62.4%; -3.8%]	0.034	Moderate decline
<i>Cerastium fontanum</i>	-0.0569	0.0216	0.945 [0.906;0.985]	-54.9% [-75%; -18.5%]	0.008	Moderate to strong decline
<i>Chenopodium album</i>	0.0121	0.0146	1.012 [0.984;1.042]	+18.5% [-20.7%; +77.2%]	0.407	Uncertain
<i>Circaea lutetiana</i>	0.002	0.0364	1.002 [0.933;1.076]	+2.8% [-62.1%; +179.1%]	0.957	Uncertain
<i>Cirsium arvense</i>	0.0032	0.0141	1.003 [0.976;1.031]	+4.6% [-29%; +54%]	0.821	Uncertain
<i>Cirsium vulgare</i>	-0.0324	0.0199	0.968 [0.931;1.007]	-36.5% [-63.2%; +9.8%]	0.104	Uncertain
<i>Clematis vitalba</i>	0.05	0.019	1.051 [1.013;1.091]	+101.4% [+19.4%; +239.7%]	0.009	Moderate to strong increase
<i>Convallaria majalis</i>	0.0109	0.0403	1.011 [0.934;1.094]	+16.5% [-61.5%; +252.2%]	0.787	Uncertain
<i>Convolvulus arvensis</i>	-0.0254	0.0109	0.975 [0.954;0.996]	-29.9% [-48%; -5.5%]	0.020	Moderate decline
<i>Convolvulus sepium</i>	0.002	0.0296	1.002 [0.946;1.062]	+2.8% [-54.3%; +131.3%]	0.947	Uncertain
<i>Cornus sanguinea</i>	0.0206	0.0198	1.021 [0.982;1.061]	+33.4% [-22.6%; +129.9%]	0.299	Uncertain
<i>Corylus avellana</i>	0.0129	0.0127	1.013 [0.988;1.039]	+19.9% [-15.5%; +70%]	0.309	Uncertain
<i>Crataegus monogyna</i>	0.0138	0.0135	1.014 [0.987;1.041]	+21.2% [-16.3%; +75.6%]	0.308	Uncertain
<i>Crepis capillaris</i>	-0.0215	0.0258	0.979 [0.931;1.03]	-25.9% [-63.5%; +50.3%]	0.406	Uncertain
<i>Cytisus scoparius</i>	0.0271	0.0379	1.027 [0.954;1.107]	+46.1% [-48.4%; +313.5%]	0.475	Uncertain
<i>Dactylis glomerata</i>	0.0165	0.0107	1.017 [0.996;1.038]	+26% [-6.1%; +69.1%]	0.123	Uncertain
<i>Daucus carota</i>	-0.0072	0.0141	0.993 [0.966;1.021]	-9.6% [-38.5%; +33%]	0.609	Stable
<i>Dioscorea communis</i>	0.0151	0.0329	1.015 [0.952;1.083]	+23.6% [-49.8%; +204.4%]	0.645	Uncertain
<i>Elytrigia repens</i>	-2,00E-04	0.0208	1 [0.96;1.041]	-0.3% [-43.7%; +76.4%]	0.992	Uncertain
<i>Epilobium tetragonum</i>	-0.0572	0.0227	0.944 [0.903;0.987]	-55.1% [-75.9%; -16.3%]	0.012	Moderate to strong decline
<i>Equisetum arvense</i>	-0.0764	0.024	0.926 [0.884;0.971]	-65.7% [-82.2%; -33.7%]	0.001	Moderate to strong decline
<i>Erigeron canadensis</i>	-0.0163	0.0185	0.984 [0.949;1.02]	-20.4% [-52.1%; +32.2%]	0.378	Uncertain
<i>Ervilia hirsuta</i>	0.0086	0.0235	1.009 [0.963;1.056]	+12.8% [-40.8%; +114.7%]	0.715	Uncertain

<i>Euonymus europaeus</i>	0.0749	0.0274	1.078 [1.021;1.137]	+185.4% [+34.5%; +505.6%]	0.006	Moderate to strong increase
<i>Euphorbia amygdaloides</i>	-0.0363	0.0299	0.964 [0.909;1.023]	-39.8% [-73.5%; +36.8%]	0.225	Uncertain
<i>Euphorbia cyparissias</i>	0.0262	0.0395	1.026 [0.95;1.109]	+44.2% [-51.3%; +326.8%]	0.508	Uncertain
<i>Fagus sylvatica</i>	0.0067	0.0145	1.007 [0.979;1.036]	+9.9% [-26.1%; +63.5%]	0.642	Uncertain
<i>Fallopia convolvulus</i>	-0.0111	0.012	0.989 [0.966;1.013]	-14.4% [-38.5%; +19%]	0.355	Stable
<i>Festuca rubra</i>	-0.0828	0.0299	0.921 [0.868;0.976]	-68.6% [-86.2%; -28.7%]	0.006	Moderate to strong decline
<i>Fragaria vesca</i>	-0.0553	0.0341	0.946 [0.885;1.012]	-53.9% [-81.9%; +17.5%]	0.105	Uncertain
<i>Frangula alnus</i>	-0.0363	0.0316	0.964 [0.906;1.026]	-39.8% [-74.8%; +43.3%]	0.251	Uncertain
<i>Fraxinus excelsior</i>	-0.0068	0.0127	0.993 [0.969;1.018]	-9.1% [-35.9%; +28.9%]	0.592	Stable
<i>Galeopsis tetrahit</i>	-0.0012	0.034	0.999 [0.934;1.068]	-1.6% [-61.3%; +150.3%]	0.973	Uncertain
<i>Galium aparine</i>	-0.0563	0.0107	0.945 [0.926;0.965]	-54.5% [-66.1%; -39.1%]	<0.001	Moderate to strong decline
<i>Galium mollugo</i>	-0.0099	0.0291	0.99 [0.935;1.048]	-12.9% [-60.8%; +93.5%]	0.734	Uncertain
<i>Geranium dissectum</i>	-0.0545	0.0144	0.947 [0.921;0.974]	-53.4% [-68.6%; -30.8%]	<0.001	Moderate to strong decline
<i>Geranium molle</i>	-0.0014	0.0185	0.999 [0.963;1.035]	-2% [-41%; +62.7%]	0.938	Uncertain
<i>Geranium pusillum</i>	-0.0502	0.0183	0.951 [0.918;0.986]	-50.5% [-70%; -18.3%]	0.006	Moderate to strong decline
<i>Geranium robertianum</i>	-0.0483	0.0197	0.953 [0.917;0.99]	-49.2% [-70.4%; -12.6%]	0.014	Moderate to strong decline
<i>Geranium rotundifolium</i>	0.0135	0.0245	1.014 [0.966;1.064]	+20.9% [-38.3%; +136.8%]	0.581	Uncertain
<i>Geum urbanum</i>	-0.0076	0.0189	0.992 [0.956;1.03]	-10.1% [-46.6%; +51.1%]	0.687	Uncertain
<i>Glechoma hederacea</i>	-0.0644	0.0229	0.938 [0.896;0.981]	-59.4% [-78.4%; -23.9%]	0.005	Moderate to strong decline
<i>Hedera helix</i>	0.0266	0.0123	1.027 [1.002;1.052]	+45.2% [+3.5%; +103.7%]	0.031	Moderate increase
<i>Helminthotheca echioides</i>	0.0162	0.0294	1.016 [0.96;1.077]	+25.5% [-43.9%; +181%]	0.580	Uncertain
<i>Heracleum sphondylium</i>	-0.0242	0.0184	0.976 [0.942;1.012]	-28.7% [-57%; +18.2%]	0.190	Uncertain
<i>Holcus lanatus</i>	0.0041	0.0157	1.004 [0.974;1.035]	+5.9% [-31.1%; +62.8%]	0.793	Uncertain
<i>Holcus mollis</i>	-0.0187	0.0394	0.981 [0.908;1.06]	-23% [-73.9%; +127.2%]	0.636	Uncertain
<i>Hordeum murinum</i>	-0.0617	0.0296	0.94 [0.887;0.996]	-57.9% [-81.3%; -5%]	3.72e-02	Moderate to strong decline
<i>Hyacinthoides non-scripta</i>	-0.0066	0.0348	0.993 [0.928;1.064]	-8.9% [-64.9%; +136.9%]	0.849	Uncertain
<i>Hypericum perforatum</i>	-0.0384	0.023	0.962 [0.92;1.007]	-41.6% [-68.9%; +9.7%]	9.46e-02	Uncertain
<i>Hypochaeris radicata</i>	0.0817	0.0224	1.085 [1.039;1.134]	+214.1% [+69.9%; +480.5%]	<0.001	Strong increase

<i>Ilex aquifolium</i>	0.0193	0.023	1.02 [0.975;1.066]	+31.1% [-30.2%; +146.3%]	0.400	Uncertain
<i>Jacobaea vulgaris</i>	-0.0394	0.023	0.961 [0.919;1.006]	-42.4% [-69.3%; +8.1%]	0.086	Uncertain
<i>Lactuca serriola</i>	0.0187	0.023	1.019 [0.974;1.066]	+29.9% [-30.9%; +144.3%]	0.417	Uncertain
<i>Lapsana communis</i>	0.0178	0.0184	1.018 [0.982;1.055]	+28.3% [-22.6%; +112.4%]	0.334	Uncertain
<i>Leucanthemum vulgare</i>	-0.004	0.0367	0.996 [0.927;1.07]	-5.5% [-65.5%; +158.6%]	0.912	Uncertain
<i>Ligustrum vulgare</i>	0.0184	0.0177	1.019 [0.984;1.054]	+29.3% [-20.3%; +110%]	0.298	Uncertain
<i>Lolium multiflorum</i>	-0.0441	0.0211	0.957 [0.918;0.997]	-46.1% [-69.8%; -3.9%]	0.036	Moderate to strong decline
<i>Lolium perenne</i>	0.0374	0.0108	1.038 [1.016;1.06]	+68.7% [+25.5%; +126.8%]	<0.001	Moderate to strong increase
<i>Lonicera periclymenum</i>	-0.0029	0.0178	0.997 [0.963;1.032]	-4% [-41%; +56.4%]	0.870	Uncertain
<i>Lotus corniculatus</i>	-0.0135	0.0251	0.987 [0.939;1.036]	-17.3% [-58.4%; +64.6%]	0.589	Uncertain
<i>Lysimachia arvensis</i>	-0.0362	0.0126	0.964 [0.941;0.989]	-39.8% [-57.4%; -14.9%]	0.004	Moderate decline
<i>Matricaria chamomilla</i>	0.0218	0.0196	1.022 [0.984;1.062]	+35.8% [-20.7%; +132.4%]	0.265	Uncertain
<i>Medicago lupulina</i>	-0.0017	0.0186	0.998 [0.963;1.035]	-2.4% [-41.3%; +62.6%]	0.927	Uncertain
<i>Medicago sativa</i>	0.0374	0.0394	1.038 [0.961;1.122]	+68.9% [-42.8%; +398.5%]	0.343	Uncertain
<i>Melica uniflora</i>	0.0801	0.0315	1.083 [1.019;1.152]	+206.8% [+29.3%; +628%]	0.011	Moderate to strong increase
<i>Mercurialis annua</i>	-0.0254	0.0219	0.975 [0.934;1.018]	-29.9% [-61.5%; +27.8%]	246	Uncertain
<i>Mercurialis perennis</i>	-0.0772	0.039	0.926 [0.858;0.999]	-66.1% [-88.4%; -1.2%]	0.048	Moderate to strong decline
<i>Moehringia trinervia</i>	0.0066	0.0366	1.007 [0.937;1.081]	+9.7% [-59.8%; +199.2%]	857	Uncertain
<i>Molinia caerulea</i>	0.0583	0.0321	1.06 [0.995;1.129]	+126.2% [-6.4%; +446.3%]	0.070	Uncertain
<i>Myosotis arvensis</i>	-0.035	0.0264	0.966 [0.917;1.017]	-38.8% [-70.3%; +26.3%]	0.184	Uncertain
<i>Origanum vulgare</i>	0.0709	0.0448	1.073 [0.983;1.172]	+169.8% [-21.1%; +821.9%]	0.113	Uncertain
<i>Papaver rhoeas</i>	-0.0085	0.0151	0.992 [0.963;1.021]	-11.2% [-41.3%; +34.3%]	0.574	Stable
<i>Pastinaca sativa</i>	-0.0029	0.036	0.997 [0.929;1.07]	-4% [-64.2%; +157.7%]	0.936	Uncertain
<i>Persicaria maculosa</i>	-0.019	0.0169	0.981 [0.949;1.014]	-23.3% [-51.8%; +21.9%]	0.262	Uncertain
<i>Phillyrea angustifolia</i>	0.0023	0.0329	1.002 [0.94;1.069]	+3.3% [-58.1%; +154.7%]	0.944	Uncertain
<i>Phleum pratense</i>	-0.0246	0.0347	0.976 [0.912;1.044]	-29.1% [-72.6%; +83.5%]	0.478	Uncertain
<i>Picris hieracioides</i>	-0.0096	0.0168	0.99 [0.958;1.024]	-12.6% [-44.9%; +38.6%]	0.566	Uncertain
<i>Pilosella officinarum</i>	0.0661	0.0535	1.068 [0.962;1.186]	+152.3% [-41.9%; +995%]	0.217	Uncertain

<i>Pinus sylvestris</i>	-0.0645	0.0249	0.938 [0.893;0.985]	-59.5% [-79.5%; -19.6%]	0.01	Moderate to strong decline
<i>Plantago lanceolata</i>	0.0107	0.0131	1.011 [0.985;1.037]	+16.2% [-19%; +66.6%]	0.414	Uncertain
<i>Plantago major</i>	-0.026	0.0153	0.974 [0.946;1.004]	-30.5% [-54.3%; +5.7%]	0.089	Uncertain
<i>Poa annua</i>	-0.0253	0.0156	0.975 [0.946;1.005]	-29.9% [-54.3%; +7.5%]	0.104	Uncertain
<i>Poa nemoralis</i>	0.0532	0.0239	1.055 [1.006;1.105]	+110.7% [+9.3%; +306.2%]	0.026	Moderate to strong increase
<i>Poa pratensis</i>	-0.0331	0.0189	0.967 [0.932;1.004]	-37.1% [-62.5%; +5.6%]	0.080	Uncertain
<i>Poa trivialis</i>	-0.0202	0.0175	0.98 [0.947;1.014]	-24.6% [-53.4%; +21.8%]	0.248	Uncertain
<i>Polygonatum multiflorum</i>	-0.0494	0.0246	0.952 [0.907;0.999]	-49.9% [-74.5%; -1.6%]	0.045	Moderate to strong decline
<i>Polygonum aviculare</i>	-0.027	0.0117	0.973 [0.951;0.996]	-31.5% [-50.3%; -5.7%]	0.021	Moderate decline
<i>Potentilla erecta</i>	-0.0833	0.0611	0.92 [0.816;1.037]	-68.8% [-94.2%; +66.7%]	0.173	Uncertain
<i>Potentilla reptans</i>	0.0204	0.0264	1.021 [0.969;1.075]	+33.1% [-35.5%; +174.3%]	0.439	Uncertain
<i>Poterium sanguisorba</i>	0.0079	0.0314	1.008 [0.948;1.072]	+11.8% [-52.8%; +164.6%]	0.800	Uncertain
<i>Prunella vulgaris</i>	0.0222	0.0266	1.022 [0.97;1.077]	+36.4% [-34.3%; +183.2%]	0.405	Uncertain
<i>Prunus avium</i>	-0.0163	0.0267	0.984 [0.934;1.037]	-20.4% [-61.8%; +65.7%]	0.541	Uncertain
<i>Prunus spinosa</i>	0.0522	0.0163	1.054 [1.02;1.088]	+107.6% [+32.7%; +224.6%]	0.001	Moderate to strong increase
<i>Pteridium aquilinum</i>	0.0071	0.0297	1.007 [0.95;1.067]	+10.4% [-51.1%; +149.4%]	0.811	Uncertain
<i>Quercus coccifera</i> *	-0.0853	0.0545	0.918 [0.825;1.022]	-67% [-91.8%; +32.3%]	0.118	Uncertain
<i>Quercus ilex</i>	-0.0534	0.023	0.948 [0.906;0.992]	-52.7% [-74.8%; -11.2%]	0.020	Moderate to strong decline
<i>Quercus petraea</i>	-0.0902	0.0225	0.914 [0.874;0.955]	-71.7% [-84.7%; -47.5%]	<0.001	Strong decline
<i>Quercus pubescens</i>	-0.0299	0.031	0.97 [0.913;1.031]	-34.2% [-71.9%; +54.1%]	0.335	Uncertain
<i>Quercus robur</i>	0.0572	0.0126	1.059 [1.033;1.085]	+122.6% [+57.7%; +214.3%]	<0.001	Strong increase
<i>Ranunculus acris</i>	-0.0232	0.0314	0.977 [0.919;1.039]	-27.8% [-69.5%; +71%]	0.459	Uncertain
<i>Ranunculus bulbosus</i>	-0.0235	0.0338	0.977 [0.914;1.044]	-28% [-71.5%; +81.8%]	0.487	Uncertain
<i>Ranunculus repens</i>	-0.0252	0.0214	0.975 [0.935;1.017]	-29.7% [-60.9%; +26.2%]	0.238	Uncertain
<i>Robinia pseudoacacia</i>	0.0251	0.0273	1.025 [0.972;1.082]	+42.2% [-32.8%; +200.8%]	0.358	Uncertain
<i>Rosa arvensis</i>	-0.0141	0.0317	0.986 [0.927;1.049]	-17.9% [-65.6%; +95.9%]	0.656	Uncertain
<i>Rosa canina</i>	-0.0145	0.0296	0.986 [0.93;1.044]	-18.4% [-63.8%; +83.8%]	0.623	Uncertain
<i>Rubia peregrina</i>	-0.0193	0.024	0.981 [0.936;1.028]	-23.6% [-60.4%; +47.4%]	0.422	Uncertain

<i>Rubus caesius</i>	0.0187	0.0275	1.019 [0.965;1.075]	+29.9% [-39%; +176.5%]	0.497	Uncertain
<i>Rubus fruticosus</i>	0.0106	0.0107	1.011 [0.99;1.032]	+16.1% [-13.6%; +55.9%]	0.322	Uncertain
<i>Rubus ulmifolius</i>	-0.0424	0.0302	0.958 [0.903;1.017]	-44.8% [-75.9%; +26.6%]	0.161	Uncertain
<i>Rumex acetosa</i>	-0.0017	0.0237	0.998 [0.953;1.046]	-2.4% [-49%; +86.8%]	0.941	Uncertain
<i>Rumex crispus</i>	0.0307	0.0237	1.031 [0.984;1.08]	+53.7% [-19.7%; +194.4%]	0.195	Uncertain
<i>Rumex obtusifolius</i>	-0.0072	0.0247	0.993 [0.946;1.042]	-9.6% [-54.1%; +77.8%]	0.770	Uncertain
<i>Ruscus aculeatus</i>	0.0151	0.0284	1.015 [0.96;1.073]	+23.5% [-43.3%; +168.8%]	0.595	Uncertain
<i>Sambucus nigra</i>	-0.0878	0.0346	0.916 [0.856;0.98]	-70.8% [-88.7%; -24.5%]	0.011	Moderate to strong decline
<i>Schedonorus arundinaceus</i>	0.0369	0.0372	1.038 [0.965;1.116]	+67.7% [-39.6%; +365.1%]	321	Uncertain
<i>Senecio vulgaris</i>	2,00E-04	0.0133	1 [0.974;1.027]	+0.3% [-30.4%; +44.5%]	0.989	Stable
<i>Sherardia arvensis</i>	-0.0595	0.0273	0.942 [0.893;0.994]	-56.5% [-79.4%; -8.1%]	0.029	Moderate to strong decline
<i>Silene latifolia</i>	-0.0061	0.0274	0.994 [0.942;1.049]	-8.1% [-56.7%; +94.8%]	0.825	Uncertain
<i>Sinapis arvensis</i>	-0.0228	0.0211	0.977 [0.938;1.019]	-27.3% [-59.3%; +29.7%]	0.281	Uncertain
<i>Smilax aspera</i>	0.0231	0.0171	1.023 [0.99;1.058]	+38.2% [-13.6%; +121%]	0.177	Uncertain
<i>Solanum nigrum</i>	-0.0163	0.0198	0.984 [0.946;1.023]	-20.4% [-53.7%; +37%]	0.411	Uncertain
<i>Sonchus asper</i>	0.0015	0.0126	1.002 [0.977;1.027]	+2.2% [-27.7%; +44.3%]	0.903	Stable
<i>Sonchus oleraceus</i>	0.0295	0.0179	1.03 [0.994;1.067]	+51.1% [-7.5%; +146.9%]	0.099	Uncertain
<i>Sorbus aucuparia</i>	-0.0169	0.0468	0.983 [0.897;1.078]	-21% [-78.2%; +185.5%]	0.719	Uncertain
<i>Sorbus torminalis</i>	0.0332	0.0408	1.034 [0.954;1.12]	+59.2% [-48.1%; +388.3%]	0.416	Uncertain
<i>Stellaria holostea</i>	-0.0888	0.0367	0.915 [0.852;0.983]	-71.2% [-89.5%; -21.1%]	0.015	Moderate to strong decline
<i>Stellaria media</i>	-0.0236	0.0204	0.977 [0.938;1.016]	-28.2% [-58.9%; +25.6%]	0.246	Uncertain
<i>Taraxacum officinale</i>	0.1004	0.0239	1.106 [1.055;1.159]	+307.7% [+111.7%; +685.1%]	<0.001	Strong increase
<i>Teucrium chamaedrys</i>	0.0133	0.0533	1.013 [0.913;1.125]	+20.4% [-72.1%; +419.9%]	0.803	Uncertain
<i>Teucrium scorodonia</i>	-0.0127	0.0273	0.987 [0.936;1.042]	-16.3% [-60.5%; +77.4%]	0.643	Uncertain
<i>Thymus vulgaris</i>	-0.0591	0.0311	0.943 [0.887;1.002]	-56.3% [-81.4%; +2.6%]	0.057	Uncertain
<i>Trifolium pratense</i>	-0.0243	0.021	0.976 [0.937;1.017]	-28.8% [-60%; +26.7%]	0.248	Uncertain
<i>Trifolium repens</i>	-0.0278	0.0139	0.973 [0.946;1]	-32.2% [-53.8%; -0.7%]	0.046	Moderate decline
<i>Tripleurospermum inodorum</i>	0.0313	0.0175	1.032 [0.997;1.068]	+54.9% [-4.2%; +150.3%]	0.074	Uncertain

<i>Triticum aestivum</i>	-0.0692	0.0267	0.933 [0.886;0.983]	-62.1% [-81.7%; -21.2%]	0.009	Moderate to strong decline
<i>Ulex europaeus</i>	0.04	0.0219	1.041 [0.997;1.087]	+75.1% [-4.1%; +219.8%]	0.068	Uncertain
<i>Ulmus minor</i>	-0.0578	0.0302	0.944 [0.89;1.001]	-55.5% [-80.6%; +2.1%]	0.056	Uncertain
<i>Urtica dioica</i>	-0.0274	0.0179	0.973 [0.94;1.008]	-31.8% [-58.2%; +11.3%]	0.125	Uncertain
<i>Veronica arvensis</i>	-0.0838	0.0177	0.92 [0.888;0.952]	-69% [-81%; -49.6%]	<0.001	Strong decline
<i>Veronica chamaedrys</i>	-0.0545	0.0355	0.947 [0.883;1.015]	-53.4% [-82.4%; +23.5%]	0.125	Uncertain
<i>Veronica persica</i>	-0.0597	0.0144	0.942 [0.916;0.969]	-56.6% [-70.8%; -35.6%]	<0.001	Moderate to strong decline
<i>Viburnum lantana</i>	-0.0438	0.03	0.957 [0.903;1.015]	-45.8% [-76.2%; +23.5%]	0.145	Uncertain
<i>Vicia sativa</i>	-8,00E-04	0.0147	0.999 [0.971;1.028]	-1.1% [-33.9%; +47.9%]	0.956	Stable
<i>Vicia sepium</i>	-0.0642	0.0368	0.938 [0.873;1.008]	-59.3% [-85.2%; +11.9%]	0.082	Uncertain
<i>Viola arvensis</i>	-0.0876	0.017	0.916 [0.886;0.947]	-70.7% [-81.6%; -53.3%]	<0.001	Strong decline
<i>Viola odorata</i>	-0.0608	0.0432	0.941 [0.865;1.024]	-57.3% [-86.9%; +39.6%]	0.159	Uncertain
<i>Viola reichenbachiana</i>	-0.0052	0.0249	0.995 [0.947;1.045]	-7% [-53%; +84.1%]	0.834	Uncertain
<i>Zea mays</i>	0.0124	0.0314	1.012 [0.952;1.077]	+19% [-49.7%; +181.5%]	0.693	Uncertain