

Appendix 5: Table containing all estimations for plant trends during the 2014 – 2023 period. All species are identified through their scientific names. Estimates of mean year effect on abundance and their associated standard errors are given by the columns “Estimate” and “Standard error”, respectively. These estimates were converted to mean annual growth rate, that can be found in the “Growth rate” column, together with the associated 95% confidence interval. The corresponding mean percentage of increase (or decrease) over the 2014 – 2023 period is given in the “Percentage of increase/decrease” column, together with their associated 95% confidence interval. Finally, the p-value associated with the effect of year on abundance and the trend classification obtained for each species can be found in the columns “P-value” and “Trend category”, respectively. NE means no estimation was available due to convergence issue.

Scientific name	Estimate	Standard error	Growth rate	Percentage	P-value	Trend
<i>Acer campestre</i>	0.0474	0.0250	1.049 [0.998; 1.101]	53.2% [-1.5%; 138.3%]	0.058	Uncertain
<i>Acer platanoides</i>	0.0044	0.0666	1.004 [0.882; 1.144]	4.1% [-67.8%; 236.9%]	0.947	Uncertain
<i>Acer pseudoplatanus</i>	-0.0098	0.0258	0.99 [0.941; 1.042]	-8.4% [-42%; 44.4%]	0.704	Uncertain
<i>Achillea millefolium</i>	0.0719	0.0355	1.075 [1.002; 1.152]	91% [2.2%; 257.1%]	0.043	Moderate to strong increase
<i>Agrimonia eupatoria</i>	0.1027	0.0397	1.108 [1.025; 1.198]	152.1% [25.1%; 407.7%]	0.01	Moderate to strong increase
<i>Agrostis capillaris</i>	-0.0214	0.0340	0.979 [0.916; 1.046]	-17.5% [-54.7%; 50.2%]	0.529	Uncertain
<i>Agrostis stolonifera</i>	-0.0728	0.0347	0.93 [0.869; 0.995]	-48.1% [-71.8%; -4.2%]	0.036	Moderate to strong decline
<i>Ajuga reptans</i>	-0.0864	0.0514	0.917 [0.829; 1.014]	-54.1% [-81.5%; 13.8%]	0.093	Uncertain
<i>Alliaria petiolata</i>	0.1797	0.0623	1.197 [1.059; 1.352]	404% [68%; 1412.3%]	0.004	Strong increase
<i>Alopecurus myosuroides</i>	-0.0510	0.0270	0.95 [0.901; 1.002]	-36.8% [-60.8%; 1.7%]	0.059	Uncertain
<i>Anemone nemorosa</i>	0.0314	0.0506	1.032 [0.934; 1.14]	32.7% [-45.7%; 224%]	0.535	Uncertain
<i>Anisantha sterilis</i>	0.0219	0.0253	1.022 [0.973; 1.074]	21.8% [-22%; 90.2%]	0.385	Uncertain
<i>Anthoxanthum odoratum</i>	-0.0144	0.0427	0.986 [0.907; 1.072]	-12.1% [-58.6%; 86.7%]	0.736	Uncertain
<i>Anthriscus sylvestris</i>	0.1342	0.0598	1.144 [1.017; 1.286]	234.5% [16.5%; 860.4%]	0.025	Moderate to strong increase
<i>Aphyllanthes monspeliensis</i>	-0.0016	0.0567	0.998 [0.893; 1.116]	-1.4% [-63.8%; 168.1%]	0.977	Uncertain
<i>Arrhenatherum elatius</i>	0.0617	0.0285	1.064 [1.006; 1.125]	74.3% [5.5%; 188.1%]	0.03	Moderate to strong increase
<i>Artemisia vulgaris</i>	-0.0798	0.0329	0.923 [0.866; 0.985]	-51.2% [-72.7%; -12.9%]	0.015	Moderate to strong decline
<i>Asparagus acutifolius</i>						NA
<i>Avena fatua</i>	0.0246	0.0370	1.025 [0.953; 1.102]	24.7% [-35.1%; 139.7%]	0.507	Uncertain
<i>Bellis perennis</i>	-0.0166	0.0310	0.984 [0.926; 1.045]	-13.9% [-50.2%; 48.9%]	0.593	Uncertain
<i>Betula pendula</i>	0.0237	0.0567	1.024 [0.916; 1.144]	23.8% [-54.5%; 236.4%]	0.676	Uncertain
<i>Brachypodium pinnatum</i>	-0.2091	0.0466	0.811 [0.74; 0.889]	-84.8% [-93.3%; -65.3%]	<0.001	Strong decline
<i>Brachypodium retusum</i>	-0.0551	0.0533	0.946 [0.853; 1.05]	-39.1% [-76.2%; 55.8%]	0.301	Uncertain
<i>Brachypodium sylvaticum</i>	-0.0044	0.0330	0.996 [0.933; 1.062]	-3.8% [-46.3%; 72.1%]	0.895	Uncertain
<i>Bromopsis erecta</i>	0.0836	0.0622	1.087 [0.962; 1.228]	112.2% [-29.1%; 535.5%]	0.179	Uncertain
<i>Bromus hordeaceus</i>	0.0662	0.0322	1.068 [1.003; 1.138]	81.5% [2.9%; 220%]	0.04	Moderate to strong increase
<i>Buxus sempervirens</i>	-0.1594	0.0338	0.853 [0.798; 0.911]	-76.2% [-86.9%; -56.8%]	<0.001	Strong decline

<i>Calluna vulgaris</i>	0.0055	0.0405	1.006 [0.929; 1.089]	5.1% [-48.6%; 114.9%]	0.892	Uncertain
<i>Capsella bursa-pastoris</i>	-0.0456	0.0478	0.955 [0.87; 1.049]	-33.6% [-71.5%; 54.3%]	0.341	Uncertain
<i>Carex flacca</i>	-0.1467	0.0614	0.864 [0.766; 0.974]	-73.3% [-91%; -21.1%]	0.017	Moderate to strong decline
<i>Carex sylvatica</i>	0.0265	0.0382	1.027 [0.953; 1.107]	26.9% [-35.2%; 148.8%]	0.487	Uncertain
<i>Carpinus betulus</i>	0.0106	0.0188	1.011 [0.974; 1.049]	10% [-21.1%; 53.3%]	0.574	Uncertain
<i>Castanea sativa</i>	-0.0406	0.0280	0.96 [0.909; 1.014]	-30.6% [-57.7%; 13.7%]	0.147	Uncertain
<i>Cerastium fontanum</i>	-0.0659	0.0380	0.936 [0.869; 1.009]	-44.7% [-71.7%; 8%]	0.083	Uncertain
<i>Chenopodium album</i>	0.0797	0.0206	1.083 [1.04; 1.128]	104.9% [42.5%; 194.8%]	<0.001	Strong increase
<i>Circaea lutetiana</i>	-0.0939	0.0683	0.91 [0.796; 1.041]	-57.1% [-87.1%; 43.2%]	0.169	Uncertain
<i>Cirsium arvense</i>	0.0147	0.0236	1.015 [0.969; 1.063]	14.2% [-24.7%; 73%]	0.532	Uncertain
<i>Cirsium vulgare</i>	0.0071	0.0420	1.007 [0.928; 1.094]	6.6% [-49.2%; 123.7%]	0.865	Uncertain
<i>Clematis vitalba</i>	0.0089	0.0324	1.009 [0.947; 1.075]	8.4% [-38.8%; 92.1%]	0.783	Uncertain
<i>Convallaria majalis</i>	-0.0046	0.0394	0.995 [0.921; 1.075]	-4.1% [-52.1%; 92.4%]	0.907	Uncertain
<i>Convolvulus arvensis</i>	-0.0267	0.0201	0.974 [0.936; 1.013]	-21.4% [-44.9%; 12.1%]	0.184	Uncertain
<i>Convolvulus sepium</i>	-0.0367	0.0542	0.964 [0.867; 1.072]	-28.2% [-72.4%; 87.1%]	0.498	Uncertain
<i>Cornus sanguinea</i>	-0.0062	0.0274	0.994 [0.942; 1.049]	-5.4% [-41.6%; 53.3%]	0.822	Uncertain
<i>Corylus avellana</i>	-0.0276	0.0229	0.973 [0.93; 1.018]	-22% [-48%; 16.9%]	0.229	Uncertain
<i>Crataegus monogyna</i>	-0.0156	0.0212	0.985 [0.944; 1.026]	-13.1% [-40.2%; 26.4%]	0.464	Uncertain
<i>Crepis capillaris</i>	-0.0251	0.0451	0.975 [0.893; 1.065]	-20.2% [-64%; 76.8%]	0.578	Uncertain
<i>Cytisus scoparius</i>	0.1149	0.0366	1.122 [1.044; 1.205]	181.2% [47.3%; 436.6%]	0.002	Strong increase
<i>Dactylis glomerata</i>	0.0031	0.0178	1.003 [0.969; 1.039]	2.8% [-24.9%; 40.8%]	0.862	Uncertain
<i>Daucus carota</i>	0.0120	0.0248	1.012 [0.964; 1.062]	11.4% [-28.1%; 72.5%]	0.629	Uncertain
<i>Dioscorea communis</i>	0.0107	0.0595	1.011 [0.899; 1.136]	10.1% [-61.5%; 214.7%]	0.857	Uncertain
<i>Elytrigia repens</i>	-0.0919	0.0320	0.912 [0.857; 0.971]	-56.3% [-75.1%; -23%]	0.004	Moderate to strong decline
<i>Epilobium tetragonum</i>	-0.1727	0.0570	0.841 [0.752; 0.941]	-78.9% [-92.3%; -42.2%]	0.002	Strong decline
<i>Equisetum arvense</i>	-0.1218	0.0454	0.885 [0.81; 0.968]	-66.6% [-85%; -25.6%]	0.007	Moderate to strong decline
<i>Erigeron canadensis</i>	-0.0646	0.0351	0.937 [0.875; 1.004]	-44.1% [-69.9%; 3.9%]	0.066	Uncertain
<i>Ervilia hirsuta</i>	0.0078	0.0334	1.008 [0.944; 1.076]	7.3% [-40.5%; 93.3%]	0.815	Uncertain

<i>Euonymus europaeus</i>	0.0837	0.0524	1.087 [0.981; 1.205]	112.4% [-15.7%; 435.1%]	0.11	Uncertain
<i>Euphorbia amygdaloides</i>	0.0058	0.0537	1.006 [0.905; 1.117]	5.4% [-59.1%; 171.5%]	0.914	Uncertain
<i>Euphorbia cyparissias</i>	-0.0312	0.0729	0.969 [0.84; 1.118]	-24.5% [-79.1%; 173.5%]	0.669	Uncertain
<i>Fagus sylvatica</i>	-0.0139	0.0179	0.986 [0.952; 1.021]	-11.8% [-35.6%; 20.9%]	0.436	Uncertain
<i>Fallopia convolvulus</i>	0.0500	0.0200	1.051 [1.011; 1.093]	56.8% [10.2%; 123.1%]	0.012	Moderate to strong increase
<i>Festuca rubra</i>	-0.0505	0.0547	0.951 [0.854; 1.058]	-36.5% [-75.8%; 66.6%]	0.356	Uncertain
<i>Fragaria vesca</i>	-0.0492	0.0459	0.952 [0.87; 1.042]	-35.8% [-71.4%; 44.2%]	0.283	Uncertain
<i>Frangula alnus</i>	-0.0273	0.0334	0.973 [0.911; 1.039]	-21.8% [-56.6%; 40.8%]	0.412	Uncertain
<i>Fraxinus excelsior</i>	-0.0033	0.0225	0.997 [0.954; 1.042]	-3% [-34.8%; 44.4%]	0.882	Uncertain
<i>Galeopsis tetrahit</i>	0.0317	0.0534	1.032 [0.93; 1.146]	33% [-48.1%; 240.9%]	0.553	Uncertain
<i>Galium aparine</i>	-0.0443	0.0174	0.957 [0.925; 0.99]	-32.9% [-50.7%; -8.8%]	0.011	Moderate to strong decline
<i>Galium mollugo</i>	-0.0523	0.0478	0.949 [0.864; 1.042]	-37.5% [-73.1%; 45.3%]	0.275	Uncertain
<i>Geranium dissectum</i>	-0.0308	0.0227	0.97 [0.928; 1.014]	-24.2% [-49.2%; 13%]	0.174	Uncertain
<i>Geranium molle</i>	0.0185	0.0352	1.019 [0.951; 1.091]	18.1% [-36.5%; 119.7%]	0.6	Uncertain
<i>Geranium pusillum</i>						NA
<i>Geranium robertianum</i>	-0.0532	0.0323	0.948 [0.89; 1.01]	-38% [-64.9%; 9.5%]	0.099	Uncertain
<i>Geranium rotundifolium</i>	-0.0080	0.0517	0.992 [0.896; 1.098]	-6.9% [-62.6%; 131.5%]	0.877	Uncertain
<i>Geum urbanum</i>	-0.0343	0.0269	0.966 [0.917; 1.019]	-26.5% [-54.3%; 18.1%]	0.203	Uncertain
<i>Glechoma hederacea</i>	-0.0902	0.0293	0.914 [0.863; 0.968]	-55.6% [-73.5%; -25.5%]	0.002	Moderate to strong decline
<i>Hedera helix</i>	0.0126	0.0195	1.013 [0.975; 1.052]	12% [-20.5%; 57.9%]	0.517	Uncertain
<i>Helminthotheca echioides</i>	0.0668	0.0442	1.069 [0.98; 1.166]	82.4% [-16.4%; 297.9%]	0.131	Uncertain
<i>Heracleum sphondylium</i>	-0.0602	0.0311	0.942 [0.886; 1.001]	-41.9% [-66.4%; 0.7%]	0.053	Uncertain
<i>Holcus lanatus</i>	-0.0466	0.0293	0.954 [0.901; 1.011]	-34.3% [-60.8%; 10.2%]	0.111	Uncertain
<i>Holcus mollis</i>	-0.0350	0.0646	0.966 [0.851; 1.096]	-27% [-76.7%; 128.2%]	0.588	Uncertain
<i>Hordeum murinum</i>	-0.0809	0.0713	0.922 [0.802; 1.061]	-51.7% [-86.3%; 69.9%]	0.257	Uncertain
<i>Hyacinthoides non-scripta</i>	0.0045	0.0495	1.004 [0.912; 1.107]	4.1% [-56.5%; 149.3%]	0.928	Uncertain
<i>Hypericum perforatum</i>	0.0130	0.0226	1.013 [0.969; 1.059]	12.4% [-24.5%; 67.4%]	0.565	Uncertain
<i>Hypochaeris radicata</i>	0.0708	0.0348	1.073 [1.003; 1.149]	89.2% [2.4%; 249.6%]	0.042	Moderate to strong increase
<i>Ilex aquifolium</i>	-0.0219	0.0279	0.978	-17.9%	0.433	Uncertain

			[0.926; 1.033]	[-49.8%; 34.4%]		
<i>Jacobaea vulgaris</i>	-0.0059	0.0368	0.994 [0.925; 1.068]	-5.2% [-50.5%; 81.5%]	0.873	Uncertain
<i>Lactuca serriola</i>	0.0599	0.0437	1.062 [0.974; 1.157]	71.4% [-20.8%; 270.7%]	0.171	Uncertain
<i>Lapsana communis</i>	0.0153	0.0302	1.015 [0.957; 1.077]	14.7% [-32.6%; 95.3%]	0.613	Uncertain
<i>Leucanthemum vulgare</i>	-0.0170	0.0429	0.983 [0.904; 1.069]	-14.2% [-59.8%; 82.9%]	0.691	Uncertain
<i>Ligustrum vulgare</i>	0.0372	0.0294	1.038 [0.98; 1.1]	39.8% [-16.8%; 134.8%]	0.206	Uncertain
<i>Lolium multiflorum</i>	-0.1768	0.0320	0.838 [0.787; 0.892]	-79.6% [-88.4%; -64.2%]	<0.001	Strong decline
<i>Lolium perenne</i>	0.0514	0.0193	1.053 [1.014; 1.093]	58.8% [13%; 123.2%]	0.008	Moderate to strong increase
<i>Lonicera periclymenum</i>	-0.0003	0.0186	1 [0.964; 1.037]	-0.3% [-28.2%; 38.5%]	0.986	Uncertain
<i>Lotus corniculatus</i>	-0.0083	0.0393	0.992 [0.918; 1.071]	-7.2% [-53.6%; 85.4%]	0.832	Uncertain
<i>Lysimachia arvensis</i>	-0.0053	0.0238	0.995 [0.949; 1.042]	-4.7% [-37.4%; 45.1%]	0.823	Uncertain
<i>Matricaria chamomilla</i>	0.0487	0.0274	1.05 [0.995; 1.108]	55.1% [-4.4%; 151.5%]	0.075	Uncertain
<i>Medicago lupulina</i>	-0.0062	0.0304	0.994 [0.936; 1.055]	-5.5% [-44.7%; 61.6%]	0.837	Uncertain
<i>Medicago sativa</i>	0.1052	0.0515	1.111 [1.004; 1.229]	157.7% [3.8%; 539.8%]	0.041	Moderate to strong increase
<i>Melica uniflora</i>	0.0255	0.0251	1.026 [0.977; 1.078]	25.9% [-19.1%; 95.9%]	0.308	Uncertain
<i>Mercurialis annua</i>	-0.0480	0.0481	0.953 [0.867; 1.047]	-35.1% [-72.2%; 51.5%]	0.318	Uncertain
<i>Mercurialis perennis</i>	-0.0984	0.0884	0.906 [0.762; 1.078]	-58.8% [-91.3%; 96.1%]	0.266	Uncertain
<i>Moehringia trinervia</i>	0.0402	0.0442	1.041 [0.955; 1.135]	43.6% [-34.2%; 213.2%]	0.363	Uncertain
<i>Molinia caerulea</i>	0.0935	0.0370	1.098 [1.021; 1.18]	131.9% [20.8%; 345.2%]	0.011	Moderate to strong increase
<i>Myosotis arvensis</i>	-0.0160	0.0448	0.984 [0.901; 1.074]	-13.4% [-60.7%; 90.9%]	0.721	Uncertain
<i>Origanum vulgare</i>	0.0365	0.0521	1.037 [0.936; 1.149]	38.9% [-44.6%; 248%]	0.484	Uncertain
<i>Papaver rhoeas</i>	-0.0311	0.0296	0.969 [0.915; 1.027]	-24.4% [-55.2%; 27.5%]	0.294	Uncertain
<i>Pastinaca sativa</i>	-0.0864	0.0570	0.917 [0.82; 1.026]	-54.1% [-83.2%; 25.6%]	0.129	Uncertain
<i>Persicaria maculosa</i>	-0.0146	0.0368	0.986 [0.917; 1.059]	-12.3% [-54.2%; 68%]	0.692	Uncertain
<i>Phillyrea angustifolia</i>	-0.0325	0.0674	0.968 [0.848; 1.105]	-25.3% [-77.3%; 145.3%]	0.63	Uncertain
<i>Phleum pratense</i>	-0.1219	0.0640	0.885 [0.781; 1.004]	-66.6% [-89.2%; 3.2%]	0.057	Uncertain
<i>Picris hieracioides</i>	-0.0048	0.0247	0.995 [0.948; 1.045]	-4.2% [-38.1%; 48.2%]	0.847	Uncertain
<i>Pilosella officinarum</i>	0.1564	0.0733	1.169 [1.013; 1.35]	308.8% [12.1%; 1390.3%]	0.033	Moderate to strong increase

<i>Pinus sylvestris</i>	-0.0890	0.0469	0.915 [0.834; 1.003]	-55.1% [-80.4%; 2.8%]	0.058	Uncertain
<i>Plantago lanceolata</i>	0.0193	0.0198	1.019 [0.981; 1.06]	18.9% [-16.1%; 68.6%]	0.33	Uncertain
<i>Plantago major</i>	-0.0284	0.0263	0.972 [0.923; 1.023]	-22.6% [-51.3%; 23.1%]	0.279	Uncertain
<i>Poa annua</i>	-0.0509	0.0337	0.95 [0.89; 1.015]	-36.8% [-65.1%; 14.5%]	0.13	Uncertain
<i>Poa nemoralis</i>	0.0531	0.0497	1.055 [0.957; 1.162]	61.3% [-32.9%; 287.5%]	0.285	Uncertain
<i>Poa pratensis</i>	-0.0010	0.0346	0.999 [0.933; 1.069]	-0.9% [-46.2%; 82.4%]	0.976	Uncertain
<i>Poa trivialis</i>	-0.0013	0.0332	0.999 [0.936; 1.066]	-1.2% [-44.9%; 77.4%]	0.969	Uncertain
<i>Polygonatum multiflorum</i>	-0.0598	0.0288	0.942 [0.89; 0.997]	-41.6% [-64.9%; -3%]	0.038	Moderate to strong decline
<i>Polygonum aviculare</i>	0.0432	0.0206	1.044 [1.003; 1.087]	47.6% [2.6%; 112.2%]	0.036	Moderate to strong increase
<i>Potentilla erecta</i>	-0.0929	0.0919	0.911 [0.761; 1.091]	-56.7% [-91.4%; 119.3%]	0.312	Uncertain
<i>Potentilla reptans</i>	0.0283	0.0339	1.029 [0.963; 1.099]	29% [-29%; 134.4%]	0.404	Uncertain
<i>Poterium sanguisorba</i>	0.0020	0.0460	1.002 [0.916; 1.096]	1.8% [-54.8%; 129%]	0.966	Uncertain
<i>Prunella vulgaris</i>						
<i>Prunus avium</i>	0.0120	0.0448	1.012 [0.927; 1.105]	11.4% [-49.5%; 145.6%]	0.789	Uncertain
<i>Prunus spinosa</i>	0.0631	0.0226	1.065 [1.019; 1.113]	76.4% [18.4%; 162.9%]	0.005	Moderate to strong increase
<i>Pteridium aquilinum</i>	0.0261	0.0274	1.026 [0.973; 1.083]	26.5% [-22%; 104.9%]	0.341	Uncertain
<i>Quercus coccifera</i>	0.0067	0.0309	1.007 [0.948; 1.07]	6.2% [-38.4%; 83.3%]	0.827	Uncertain
<i>Quercus ilex</i>	-0.0229	0.0247	0.977 [0.931; 1.026]	-18.6% [-47.3%; 25.7%]	0.353	Uncertain
<i>Quercus petraea</i>	-0.0746	0.0464	0.928 [0.847; 1.016]	-48.9% [-77.4%; 15.8%]	0.108	Uncertain
<i>Quercus pubescens</i>	-0.0539	0.0543	0.947 [0.852; 1.054]	-38.5% [-76.4%; 60.4%]	0.321	Uncertain
<i>Quercus robur</i>	0.0613	0.0232	1.063 [1.016; 1.113]	73.7% [15.3%; 161.6%]	0.008	Moderate to strong increase
<i>Ranunculus acris</i>	-0.0542	0.0469	0.947 [0.864; 1.038]	-38.6% [-73.1%; 40.4%]	0.248	Uncertain
<i>Ranunculus bulbosus</i>	-0.1320	0.0802	0.876 [0.749; 1.025]	-69.5% [-92.6%; 25.4%]	0.1	Uncertain
<i>Ranunculus repens</i>	-0.0900	0.0299	0.914 [0.862; 0.969]	-55.5% [-73.8%; -24.6%]	0.003	Moderate to strong decline
<i>Robinia pseudoacacia</i>	0.1133	0.0678	1.12 [0.981; 1.279]	177.4% [-16.2%; 817.5%]	0.095	Uncertain
<i>Rosa arvensis</i>	0.0440	0.0799	1.045 [0.894; 1.222]	48.6% [-63.7%; 508.2%]	0.582	Uncertain
<i>Rosa canina</i>	0.0551	0.0476	1.057 [0.962; 1.16]	64.3% [-29.1%; 280.7%]	0.247	Uncertain
<i>Rubia peregrina</i>	0.0027	0.0385	1.003 [0.93; 1.081]	2.5% [-48%; 102%]	0.943	Uncertain
<i>Rubus caesius</i>	0.0582	0.0579	1.06	68.9%	0.315	Uncertain

			[0.946; 1.187]	[-39.2%; 369.3%]		
<i>Rubus fruticosus</i>	-0.0064	0.0193	0.994 [0.957; 1.032]	-5.6% [-32.8%; 32.6%]	0.739	Uncertain
<i>Rubus ulmifolius</i>	-0.1692	0.0789	0.844 [0.723; 0.986]	-78.2% [-94.6%; -12.3%]	0.032	Moderate to strong decline
<i>Rumex acetosa</i>	-0.0213	0.0398	0.979 [0.905; 1.058]	-17.5% [-59.1%; 66.7%]	0.592	Uncertain
<i>Rumex crispus</i>	0.0021	0.0370	1.002 [0.932; 1.078]	2% [-46.9%; 95.8%]	0.954	Uncertain
<i>Rumex obtusifolius</i>	-0.0025	0.0429	0.998 [0.917; 1.085]	-2.2% [-54.1%; 108.4%]	0.954	Uncertain
<i>Ruscus aculeatus</i>	0.0687	0.0273	1.071 [1.015; 1.13]	85.5% [14.6%; 200.3%]	0.012	Moderate to strong increase
<i>Sambucus nigra</i>	-0.0760	0.0645	0.927 [0.817; 1.052]	-49.5% [-83.8%; 57.4%]	0.239	Uncertain
<i>Schedonorus arundinaceus</i>	0.0508	0.0481	1.052 [0.957; 1.156]	57.9% [-32.4%; 268.8%]	0.291	Uncertain
<i>Senecio vulgaris</i>	-0.0242	0.0281	0.976 [0.924; 1.031]	-19.6% [-51%; 32.1%]	0.389	Uncertain
<i>Sherardia arvensis</i>	-0.1029	0.0522	0.902 [0.814; 0.999]	-60.4% [-84.2%; -0.5%]	0.049	Moderate to strong decline
<i>Silene latifolia</i>	-0.0098	0.0391	0.99 [0.917; 1.069]	-8.4% [-54.1%; 82.6%]	0.802	Uncertain
<i>Sinapis arvensis</i>	-0.0221	0.0420	0.978 [0.901; 1.062]	-18% [-60.9%; 72.1%]	0.599	Uncertain
<i>Smilax aspera</i>	0.0055	0.0250	1.006 [0.957; 1.056]	5.1% [-32.4%; 63.3%]	0.826	Uncertain
<i>Solanum nigrum</i>	0.0288	0.0308	1.029 [0.969; 1.093]	29.6% [-24.8%; 123.3%]	0.351	Uncertain
<i>Sonchus asper</i>	-0.0088	0.0277	0.991 [0.939; 1.046]	-7.6% [-43.3%; 50.4%]	0.749	Uncertain
<i>Sonchus oleraceus</i>	0.0715	0.0328	1.074 [1.007; 1.146]	90.4% [6.7%; 239.7%]	0.029	Moderate to strong increase
<i>Sorbus aucuparia</i>	-0.0204	0.0493	0.98 [0.89; 1.079]	-16.8% [-65.1%; 98.6%]	0.679	Uncertain
<i>Sorbus torminalis</i>	-0.0427	0.0316	0.958 [0.901; 1.02]	-31.9% [-61%; 19%]	0.177	Uncertain
<i>Stellaria holostea</i>	-0.0842	0.0467	0.919 [0.839; 1.007]	-53.1% [-79.4%; 6.8%]	0.071	Uncertain
<i>Stellaria media</i>	-0.0352	0.0358	0.965 [0.9; 1.036]	-27.2% [-61.3%; 37%]	0.325	Uncertain
<i>Taraxacum officinale</i>	0.2354	0.0492	1.265 [1.149; 1.394]	731.7% [248.9%; 1882.4%]	<0.001	Strong increase
<i>Teucrium chamaedrys</i>	0.0713	0.0297	1.074 [1.013; 1.138]	90% [12.5%; 220.9%]	0.016	Moderate to strong increase
<i>Teucrium scorodonia</i>	-0.0033	0.0373	0.997 [0.927; 1.072]	-2.9% [-49.7%; 87.4%]	0.93	Uncertain
<i>Thymus vulgaris</i>	-0.0621	0.0366	0.94 [0.875; 1.01]	-42.8% [-70%; 9%]	0.09	Uncertain
<i>Trifolium pratense</i>	-0.0275	0.0330	0.973 [0.912; 1.038]	-21.9% [-56.4%; 39.7%]	0.405	Uncertain
<i>Trifolium repens</i>	-0.0467	0.0267	0.954 [0.906; 1.006]	-34.3% [-59%; 5.3%]	0.081	Uncertain
<i>Tripleurospermum i nodorum</i>	0.0019	0.0268	1.002 [0.951; 1.056]	1.7% [-36.6%; 63.1%]	0.943	Uncertain

<i>Triticum aestivum</i>	-0.0846	0.0380	0.919 [0.853; 0.99]	-53.3% [-76.1%; -8.8%]	0.026	Moderate to strong decline
<i>Ulex europaeus</i>	-0.0181	0.0668	0.982 [0.862; 1.119]	-15.1% [-73.8%; 175.9%]	0.786	Uncertain
<i>Ulmus minor</i>	-0.0477	0.0350	0.953 [0.89; 1.021]	-34.9% [-64.9%; 20.7%]	0.173	Uncertain
<i>Urtica dioica</i>	-0.0495	0.0277	0.952 [0.901; 1.005]	-36% [-60.7%; 4.4%]	0.074	Uncertain
<i>Veronica arvensis</i>	-0.0446	0.0348	0.956 [0.893; 1.024]	-33.1% [-63.8%; 23.8%]	0.201	Uncertain
<i>Veronica chamaedrys</i>	-0.0179	0.0738	0.982 [0.85; 1.135]	-14.9% [-76.8%; 212.8%]	0.808	Uncertain
<i>Veronica persica</i>	-0.0645	0.0283	0.937 [0.887; 0.991]	-44.1% [-66%; -7.8%]	0.023	Moderate to strong decline
<i>Viburnum lantana</i>	-0.0762	0.0498	0.927 [0.84; 1.022]	-49.6% [-79.1%; 21.1%]	0.126	Uncertain
<i>Vicia sativa</i>	-0.0281	0.0312	0.972 [0.915; 1.034]	-22.3% [-55.2%; 34.7%]	0.368	Uncertain
<i>Vicia sepium</i>	-0.1042	0.0629	0.901 [0.797; 1.019]	-60.9% [-87.1%; 18.8%]	0.098	Uncertain
<i>Viola arvensis</i>	-0.1060	0.0339	0.899 [0.842; 0.961]	-61.5% [-78.8%; -30%]	0.002	Moderate to strong decline
<i>Viola odorata</i>	0.0637	0.0614	1.066 [0.945; 1.202]	77.5% [-40%; 424.6%]	0.3	Uncertain
<i>Viola reichenbachiana</i>	-0.1323	0.0583	0.876 [0.781; 0.982]	-69.6% [-89.1%; -14.9%]	0.023	Moderate to strong decline
<i>Zea mays</i>	-0.0477	0.0691	0.953 [0.833; 1.092]	-34.9% [-80.8%; 120.3%]	0.49	Uncertain