

# Optimization of a cationic dye desorption from a loaded-lignocellulosic biomass: factorial design experiments and mechanisms investigations

Ahmed Amine AZZAZ<sup>1,2</sup>, Salah JELLALI<sup>3,\*</sup>, Mejdi JEGUIRIM<sup>4</sup>, Latifa BOUSSELMI<sup>1</sup>, Zohra BENGHAREZ<sup>5</sup>, Hanene AKROUT<sup>1</sup>

<sup>1</sup>Wastewaters and Environment Laboratory, Water Research and Technologies Centre, BP 273, 8020, Soliman, Tunisia. [ahmedamine.azzaz@certe.rnrt.tn](mailto:ahmedamine.azzaz@certe.rnrt.tn); [latifa.bousselmi@certe.rnrt.tn](mailto:latifa.bousselmi@certe.rnrt.tn); [hanene.akrout@yahoo.com](mailto:hanene.akrout@yahoo.com)

<sup>2</sup> University of Carthage, Faculty of Sciences of Bizerte, Jarzouna 7000, Tunisia.

<sup>3</sup> PEIE Research Chair for the Development of Industrial Estates and Free Zones, Centre for Environmental Studies and Research (CESAR), Sultan Qaboos University, Al-Khoud 123, Muscat, Sultanate of Oman. [s.jellali@squ.edu.om](mailto:s.jellali@squ.edu.om)

<sup>4</sup> The institute of Materials Science of Mulhouse (IS2M), University of Haute Alsace, University of Strasbourg, CNRS, UMR 7361, F-68100 Mulhouse, France. [mejdi.jeguirim@hha.fr](mailto:mejdi.jeguirim@hha.fr)

<sup>5</sup> Laboratory of Advanced Materials and Physicochemistry for Environment and Health. Faculty of Exact Sciences, Djillali Liabes University, Sidi Bel Abbes, 22000, Algeria. [dzbengharez@yahoo.fr](mailto:dzbengharez@yahoo.fr)

\*: corresponding author

## Supplementary File

### Annex A1:

EDX specters of ROS (a), MB-loaded-ROS before (b) and after (c) desorption process



