



INSTITUT DE FRANCE  
Académie des sciences

# *Comptes Rendus*

---

## *Chimie*

Iness Jabri Karoui, Majdi Hammami and Manef Abderrabba

**The use of D-Optimal Mixture Design in the development of date stone and spirulina tablet formulation as a phycocyanin dietary supplement**


Volume 26, Special Issue S1 (2023), p. 169-182

Online since: 3 March 2023

**Part of Special Issue:** Materials and Clean Processes for Sustainable Energy and Environmental Applications

**Guest editors:** Mejdi Jeguirim (Université de Haute-Alsace, Institut de Sciences des Matériaux de Mulhouse, France) and Patrick Dutournié (Université de Haute-Alsace, Institut de Sciences des Matériaux de Mulhouse, France)

<https://doi.org/10.5802/crchim.222>

 This article is licensed under the  
CREATIVE COMMONS ATTRIBUTION 4.0 INTERNATIONAL LICENSE.  
<http://creativecommons.org/licenses/by/4.0/>



*The Comptes Rendus. Chimie are a member of the  
Mersenne Center for open scientific publishing*  
[www.centre-mersenne.org](http://www.centre-mersenne.org) — e-ISSN : 1878-1543



## Materials and Clean Processes for Sustainable Energy and Environmental Applications

# The use of D-Optimal Mixture Design in the development of date stone and spirulina tablet formulation as a phycocyanin dietary supplement

Iness Jabri Karoui<sup>Ⓜ, a</sup>, Majdi Hammami<sup>Ⓜ, a, b</sup> and Manef Abderrabba<sup>Ⓜ, a</sup>

<sup>a</sup> Laboratory of Materials Molecules and Applications, Preparatory Institute for Scientific and Technical Studies, Carthage University, B.P:51, La Marsa, 2075 Tunis, Tunisia

<sup>b</sup> Laboratory of Medicinal and Aromatic Plants Biotechnology Centre of Borj-Cedria BP 901, 2050, Hammam-Lif, Tunisia

E-mails: iness.karoui@yahoo.fr (I. Jabri Karoui), hammamimajdi@hotmail.com (M. Hammami), abderrabbamanef@gmail.com (M. Abderrabba)

**Abstract.** The aim of this work is in the formulation of a dietary supplement, combining spirulina and date stone benefits. For this, a study was done on these two ingredients by determining their approximate composition and antioxidant potential. Following this, we used a statistical method to determine the appropriate proportions of ingredients to obtain a tablet with optimal physical properties. After setting these parameters, we analysed this tablet's composition and effectiveness by evaluating its physicochemical properties, antioxidant potential, FTIR spectrum and studied the controlled release of phycocyanin. Our results revealed that the optimized formula showed high stability and richness in active compounds.

**Keywords.** Date stone, Spirulina, Tablets, Antioxidant activity, Dietary supplement, Phycocyanin.

Manuscript received 3 August 2022, revised 20 September 2022, accepted 15 December 2022.

## 1. Introduction

Rediscovered in the 1950s by the scientific community, the cyanobacterium *Spirulina Platensis* or spirulina (blue-green algae) revealed, through the analysis of its constituents, an exceptional nutritional value due to its unequalled richness in proteins, unsaturated lipids, antioxidant vitamins and minerals. It is commonly used in nutrition and food industry and contains a wide range of coloured compounds

and large amounts of essential elements for developing and maintaining the human body [1]. Beyond its interesting nutritional capacities, spirulina also contains many proteins and molecules representing un-realised medical interest at the moment, in particular phycocyanin [2]. Phycocyanin is a component usually present in red algae and cyanobacteria [3]. *Spirulina Platensis* is the cyanobacterium richest in this molecule and was therefore naturally chosen for extraction work for scientific purposes. Phycocyanin is a pigment of very interesting biomedical interest. It can be used as an anti-inflammatory [4] or antibac-

<sup>a</sup>Corresponding author

terial adjuvant [5]. Studies also show an anti-cancer effect [6]. It also has the characteristic of being a free radical scavenger [7]. On the other hand, date stones were recently valorised through the production of activated carbon [8], and poultry nutrition [9] and in traditional medicine for their antimicrobial and antiviral properties [10,11]. The characterization of the date stones revealed a richness of various valuable biochemical and mineral substances, namely dietary fibres (22.5–94%), proteins (2.3–6.4%), ashes (0.9–1.8%), sugars (5–6%), phenolic compounds (3102–4430 mg/100 g), and fat (7–13%) [12,13]. Also, date stone oil is known for its richness in natural antioxidants such as polyphenols, sterols, tocopherols and carotenoids [14]. In this work, we are interested in the formulation of dietary supplement tablets of spirulina enriched with date stone powder as a diluent by determining the ideal tablet recipe based on D-Optimal Mixture Design involving the physicochemical characteristics of the spirulina and date stones powder and by studying the effect of dissolution medium on the phycocyanin release in simulated gastric fluid (SGF, pH 1.2) and simulated intestinal fluid (SIF, pH 6.8) and by analysing the Fourier Transform Infrared (FTIR) spectrum of the date stone and spirulina tablets.

## 2. Materials and methods

### 2.1. Excipients preparation

The spirulina was procured from the Tunisian company “Bio Algues”. The date stones were extracted from the Tunisian “Deglet Nour” date cultivar. The date stones were dried at 50 °C for 48 h, crushed manually, and then all the biomass was ground using an electric grinder to get a powder with a fine grain size (<math>\leq 100\ \mu\text{m}</math>).

### 2.2. Proximate composition of date stone and spirulina crude powder

Moisture content and dry matter were evaluated according to Silva *et al.* [15] by a Sartorius MA 45 desiccator (Sartorius AG, Germany). Lipid content was determined as described by Yuwana [16]. The dosage of total sugars was carried out according to the phenol/sulphuric acid method described by Pawar *et al.* [17]. The total protein content was evaluated

according to Hayes [18]. The fibre content was determined through formic insoluble method [19].

### 2.3. Biochemical characterization of date stone and spirulina crude powders

The phenolic fraction extraction was carried out according to the method of Msaada *et al.* [20]; 2 g of dry powder was extracted with 10 ml of 80% methanol, stirred for 60 min and then kept for 24 h at 4 °C. The extracts were filtered with a Whatman filter paper (Grade 4), and then stored at  $\leq 20\ \text{°C}$ . Total phenolic content (TPC) was determined by the Folin-Ciocalteu assay according to Msaada *et al.* [20] and expressed as mg Gallic acid and quercetin equivalents per g dry weight ( $\text{mgEQ/g}^{\text{DW}}$ ). The antioxidants activity was conducted according to the 2,2-diphenyl-1-picrylhydrazyl (DPPH) radical scavenging assay according to Msaada *et al.* [20] and expressed as  $\text{IC}_{50}$  ( $\text{g/ml}^{\text{DW}}$ ), the concentration required to scavenge 50% of DPPH free radicals; butylhydroxytoluene (BHT) was used as the positive control. The total chlorophyll content was determined according to Li *et al.* [21]. The total carotenoid content was extracted using the method of Vila *et al.* [22]. All experiments were carried out in triplicates, and the results were reported as mean  $\pm$  standard deviation.

### 2.4. Phycocyanin extraction and quantification

UV-Visible spectrophotometry was used to measure phycocyanin utilising an external calibration method. The phycocyanin extraction and dosing were performed using the colorimetric method described by Park *et al.* [23]. In brief, 200 mg of powdered spirulina were pulverised with sea sand and extracted by sonication for 30 min, each with 60 ml of phosphate buffered saline (pH 7.0). After centrifuging, the supernatant was filtered through a 0.45  $\mu\text{m}$  membrane filter. Two hundred microliters of each extract were transferred to a 96 well plate, where the absorbance at 620 nm was measured using a microplate reader. Working calibration solutions in 100–1000  $\text{g/ml}^{\text{DW}}$  were made by diluting the phycocyanin stock solution with PBS buffered saline. To avoid pigment deterioration, all processes were carried out in low-light conditions.

**Table 1.** Parameters studied in the preparation of date stone and spirulina tablets using D-Optimal Mixture Design

Code	Parameters	Low level	High level
X1	Date stone powder	(0) 8 g	(1) 19 g
X2	Spirulina powder	(0) 80 g	(1) 90 g
X3	Water content	(0) 1 g	(1) 2 g

Independent factors levels are expressed in coded values (in brackets) and experimental values in g.

### 2.5. Preparation of date stone and spirulina tablets using D-Optimal Mixture Design

According to the literature [24], the formulation of a tablet requires the use of various excipients. Excipients, also called “vehicles” or “adjuvants”, are substances which are inactive by themselves, but which facilitate the administration and preservation of the medicinal principle. In our case, date stone powder was used as a natural diluent and binder agent [25]. In a similar study, Adiba *et al.* [26] found that tablets formulated with 100% spirulina had the most fragile texture with a friability of 1.058% and a relatively long disintegration time ( $\bar{E}$ 120 min), hence the need for the addition of other ingredients to ensure the success of the formulation and therefore to ensure the delivery of the active ingredient targeted in our tablet. The galenic formulation of the tablets has been widely discussed in the literature. Recently, the optimization of this formulation has become easier, given the availability of computer tools such as experiment plans and mixing plans [27]; in this context, we will optimize the formulation of the spirulina tablets using date stone powder as a carrier by the D-Optimal Mixture Design method with the three independent factors (Table 1): the amount of date stone powder (X1), the amount of spirulina powder (X2), and the amount of water (X3). The experimental matrix was prepared by mixing 15 ingredients in different quantities (in g). The different mixtures obtained were subjected to hardness, friability and disintegration time assays (Table 2).

### 2.6. Tablets preparation

According to Obaidat and Obaidat [28], a portion of date stone and spirulina powder combination (F1 to F15 in Table 2) was mixed with water as a diluent for

20 min. The mixture was passed through a 0.25 mm sieve, stirred, and blended in a plastic bag. The mixture was subsequently compressed using a single punch tablet press (ERWEKA GmbH, Germany) and 9 mm diameter circular punches with flat faces under  $2 \times 10^3$  kg compression. The machine parameters were changed to create tablets with the same hardness and mass; 15 formulations with a target mass of 400 mg were generated.

### 2.7. Tablets physical evaluation

Tablet hardness measurement was performed using the ERWEKA TBH 30 MD equipment (ERWEKA GmbH, Germany). Hardness was expressed in kiloponds (kp) [29]. The tablets' friability was tested using ERWEKA TA 40 (ERWEKA GmbH, Germany) at 20 rpm for four minutes and stated as a percentage [30]. Disintegration time was performed according to Shiyani *et al.* [31]. Disintegration time was carried out in 800 ml of the various media at  $37 \pm 0.5$  °C. The swelling assay was realised by weight measurement. The experiments were performed in a USP 23 dissolution apparatus II according to Pharmacopoeia [32]. The tablets were placed in a dissolution flask and immersed in the phosphate buffer pH 5.8 or gastric fluid at  $37 \pm 0.5$  °C for 5, 15, 25, 60, 75 and 90 min. The erosion assay followed immediately the swelling test. This test consists of determining the dry weight of a wet tablet after incubation at 80 °C for 24 h [33]. All tests were run in triplicate using ten tablets for each one.

### 2.8. Kinetics release of the phycocyanin

The release investigations were carried out using a USP dissolving apparatus II [32] equipped with paddles and operated at a speed of 50 rpm to investigate the effects of release medium on drug release. Nine hundred millilitres of either standard simulated gastric fluid (SGF, pH 1.2) or standard simulated Intestinal Fluid (SIF, pH 6.8) was placed in the glass vessel as the dissolution medium, the apparatus was then assembled and maintained at  $37 \pm 0.5$  °C. The amount of phycocyanin released was calculated as a percent (recovered content) from 3 to 33 min [34].

### 2.9. Statistical analysis

One-way and multivariate analysis of variance (ANOVA) followed by Duncan's multiple range test

Table 2. The experimental matrix of the preparation of date stone and spirulina tablets using D-Optimal Mixture Design

Formula	Independent factors			Responses		
	X1 Date stone powder (g)	X2 Spirulina powder (g)	X3 Water content (g)	Y1 Hardness (Kp)	Y2 Friability (%)	Y3 Disintegration time (s)
F1	1 (19)	0 (80)	0 (1)	12.24	0.16	627
F2	0 (9)	1 (90)	0 (1)	18.61	0.28	1026
F3	0 (9)	0 (80)	1 (2)	14.02	0.17	594
F4	0.5 (14)	0.5 (85)	0 (1)	18.61	0.28	1026
F5	0.5 (14)	0 (80)	0.5 (1.5)	15.03	0.17	620
F6	0 (9)	0.5 (85)	0.5 (1.5)	18.80	0.31	1117
F7	0.75 (16.5)	0.25 (82.5)	0 (1)	18.60	0.28	1022
F8	0.25 (11.5)	0.75 (87.5)	0 (1)	19.24	0.32	1395
F9	0.75 (16.5)	0 (80)	0.25 (1.25)	16.17	0.19	667
F10	0.5 (14)	0.25 (82.5)	0.25 (1.25)	18.44	0.27	965
F11	0.25 (11.5)	0.5 (85)	0.25 (1.25)	19.07	0.36	1308
F12	0 (9)	0.75 (87.5)	0.25 (1.25)	19.16	0.39	1392
F13	0.25 (11.5)	0.25 (82.5)	0.5 (1.5)	18.02	0.24	858
F14	0.25 (11.5)	0 (80)	0.75 (1.75)	14.65	0.17	609
F15	0 (9)	0.25 (82.5)	0.75 (1.75)	16.96	0.24	867

Independent factors are expressed in coded values and experimental values in g (in brackets), All the experiments were carried out in triplicates.

and Tukey's test were performed by SPSS 15 (SPSS Inc. Chicago, IL, USA). D-optimal Mixture Design was performed by NemrodW (LPRAI, version 2000) software.

### 3. Results and discussion

#### 3.1. Characterization of date stone powder

Table 2 summarizes the characterization of date stone powder; the moisture content is a crucial parameter for powder manipulation. It affects the rheological properties during the formulation of the tablet [35]. The moisture content of the date stone powder was 10.78 ± 0.24%. This value is compatible with that found by Azodi et al. [36] with a percentage of 10.5%, and it is also close to the value found by Hamada et al. [37] (9.375%). The fat content of date stone powder was 3.78 ± 0.07% (Table 3). This value is close to the results given by Juhaimi et al. [38], which vary between 4.68% and 7.96%. In a study carried out

on Tunisian varieties (Mabsili, Um-Salah and Shahal), they found values between 5 and 6% [39]. The total carbohydrate content of the date stones powder was 60.46 ± 5.6% (Table 3). This value is very close to that of Rahman et al. [40] (62.31%). In addition, Besbes et al. [14] determined the total sugar content of two varieties of Tunisian date stones. They found 81% for Allig and 83.1% for the Deglet Nour variety. Therefore, the percentage of total sugars depends on the variety of dates studied. The amount of nitrogenous matter in the date stones powder was 4.63 ± 0.03% (Table 3). According to literature, Hussein and Alhadrami [41] determined the protein percentage of date stones of 23 varieties. They found values that vary between 2.3% and 6.9%. Lecheb et al. [39] confirmed that the variety of dates might influence the variation in protein content. Other authors studied the chemical composition of date stones of 7 varieties. They found a protein content value between 3.71% and 5.47% [38]. Compared to other by-products, date stones have the highest nitrogen

Table 3. Chemical composition of date stone and spirulina powder

	Date stone	Spirulina
Moisture content (%)	10.78 <sup>a</sup> § 0.23	5.85 <sup>b</sup> § 0.11
Carbohydrate (%)	60.46 <sup>a</sup> § 5.6	8.74 <sup>b</sup> § 0.24
Proteins (%)	4.63 <sup>b</sup> § 0.03	63.73 <sup>a</sup> § 0.02
Lipids (%)	3.78 <sup>b</sup> § 0.07	5.92 <sup>a</sup> § 0.18
Fibbers (%)	32.95 <sup>a</sup> § 1.44	3.55 <sup>b</sup> § 0.23
Carotenoids (mg/100 gDW)	0.025 <sup>b</sup> § 0.7	451.38 <sup>a</sup> § 12.5
Chlorophylls-a (mg/gDW)	-	4.59 § 0.15
Chlorophylls-b (mg/gDW)	-	0.47 § 0.01
Chlorophylls-c (mg/gDW)	-	1.13 § 0.02
Phycocyanin (mg/gDW)	-	104.36 § 5.1
Phenolic content (mgEAG g <sup>-1</sup> DW)	4.74 <sup>a</sup> § 0.17	36.4 <sup>b</sup> § 2.08
DPPH IC <sub>50</sub> (g ml <sup>-1</sup> )	86.5 <sup>a</sup> § 2.04	27.71 <sup>b</sup> § 1.4

The values shown in this table were the mean of triplicates and given as mean § SD (n = 3). A one-way ANOVA followed by Duncan's multiple range test was used. Values with different letter were significantly different at P < 0.05.

content (4.30% in date stalks) [42]. The cellulose and lignin content in the date stone powder was 32.95 § 1.44% (Table 3). Several authors reported the richness of date stones in dietary fibres. AL-Kahtani et al. [43] reported that the total dietary fibre in date stone was 58%, of which 53% was insoluble dietary fibre (hemicellulose, cellulose, and lignin). These results agreed with those reported in our work. The difference may be due to the varieties studied, the process for obtaining the powder, or the dietary fibre assay method. Alamri et al. [44] indicated that date stones have high percentages of dietary fibre which vary between 22.50 and 80.20%. Dietary fibre can help prevention against hypertension, coronary heart disease, high cholesterol, cancers and intestinal disorders [45–49]. The carotenoid content in the date stones was 25 § 0.7 mg/100 g of powder (Table 3); this value is lower than that obtained by Boudries [50], which varies between 0.051 and 0.145 mg/100 g of fresh matter. This difference may be due to the use of different varieties of date stone powder (4 varieties).

### 3.2. Characterization of spirulina powder

The characterization of spirulina powder is given in Table 3. The moisture content of powders is

one of the main factors that limit the manufacture of tablets. It facilitates their quality of production by referring to the design of the compression process [51]. The moisture content of spirulina powder was about 5.85 § 0.11%. This value was found to be in the range of 4 to 7% by Sguera [52] and is also equivalent to that reported by Branger et al. [53]: 5.4%. The percentage of lipids content was equal to 5.92 § 0.18% (Table 3). This value is higher than that given by the "French Oil Institute" and found by Agustini et al. [54]; these authors studied the composition of spirulina powder in lipids and they gave a value of 2.86% [55]. The estimated value of sugar content was 8.74 § 0.24% (Table 3), which was slightly lower than that found by Gershwin and Belay [56] (15–25%), and it is also close to that provided by N'Djamena [57]. The results given by these authors are between 13.8% and 14.2%. This variation in total sugar rate depends on the spirulina's production site. In addition, other researchers have found a rate very close to our results. Agustini et al. [54] have shown that the percentage of carbohydrates contained in spirulina is between 11.74 and 12.73%. The remarkable protein content of spirulina (60 to 70%) makes it an exceptional food. Numerous analyses have indeed revealed particularly interesting nutritional properties: balanced protein composition, presence of rare essential lipids, numerous minerals and vitamins [58].

The protein content in biomass was determined using the Kjeldahl method [59] using a correction factor of 5.22 specific for microalgae. As seen in Table 3, protein content in the spirulina powder was 63.73 ± 0.02% of powder. This observed value was in accordance with previous found content (60 to 70%) [60]. Moreover, Sharoba [61] gave a value of 62.84% very close to our results. The quantification of spirulina pigments is given in Table 3: 4.59 mg chlorophyll-a, 0.468 mg chlorophyll-b and 1.13 mg chlorophyll-c in 100 g of spirulina powder. Sguera [52] showed that the chlorophyll-a content in spirulina powder varies between 6.1 and 7.4 g/kg. On the other hand, Park et al. [23] accomplished the quantification of different chlorophyll-a from commercial spirulina and it gave total chlorophyll content between 2.6 and 10.8 mg/g. Concerning the carotenoid content, a value of 451.38 ± 12.5 mg/100 g dry matter was found with our powder, a value in agreement with the results found by Park et al. [23]. The differences may be due to the growth factors and to the efficiency of the method used for the extraction and separation of the different pigments [62].

### 3.3. Phycocyanin content

Phycocyanin is the only natural blue food colorant authorized in Europe and it is also used in some cosmetic products [63]. This phytopigment fluorescent protein absorbs and captures photons then transforms this light energy into electro-biochemical energy [64]. The bilin group that constitutes it is very close to human bile pigments, which could explain its detoxifying and hepatoprotective activity [65]. Phycocyanin has the ability to develop beneficial properties for the health of consumers, demonstrated during numerous experiments carried out in vitro and in vivo in different animal models. The liquid extract of fresh spirulina allows to have a total bio-availability of the molecules in their native forms. Several studies show that spirulina or its extracts can prevent or inhibit cancers in humans or animals [6]. Quantitative analysis of phycocyanin in spirulina powder shows that it is a major pigment with a rate of 104.36 ± 5.1 mg/g DW (Table 3). These results are in agreement with the literature which presumes that phycocyanin is the only abundant pigment present in blue-green algae. Our results were comparable to that given by Park et al. [23] who found

that the commercial spirulina powder can contain 153.3 mg phycocyanin per gDW. However, the quantity of these pigments varies according to the culture conditions, where the light intensity to which the cells are exposed, constitutes an important parameter [66]. Likewise, a study conducted by Hoi et al. [67] demonstrates that the pigment concentration is limited by the nitrogen level in the culture medium.

### 3.4. Phenolic composition and antioxidant potential

The dosage of total phenolic content gives us an overall estimate of the content of different classes of phenolic compounds contained in the powders' methanolic extract. As shown in Table 3, the average phenolic content in date stones powder was 4.74 ± 0.17 mgEAG/g DW. Date seeds of 14 Iranian date varieties have previously been examined for total phenol content and it was reported that the content ranged from 459 to 3284 mgEAG/100 g DW [68]. Similarly, Metoui et al. [69] studied the total phenol contents of 11 varieties of Tunisian date seeds and their results vary between 5.224 and 9.532 gEAG/100 g DW. For spirulina powder, total phenolic content was 36.4 ± 2.08 mgEAG/g DW. Similar contents have been reported concerning the total phenolic content in *Spirulina platensis* by Şahin [70] and they found it to be about 34.22 mgEAG/g DW. DPPH assay is given in Table 3. The results show that there are significant differences between examined biomass. Regarding the date stone extract, the results reveal that the methanolic seeds extract confirms an IC<sub>50</sub> of 86.5 ± 2.04 µg/ml<sup>1</sup>; on the other hand, the spirulina extract had an IC<sub>50</sub> of 27.71 ± 1.4 µg/ml<sup>1</sup>. We note that only spirulina had an activity close to ascorbic acid which has an IC<sub>50</sub> of 23.22 µg/ml<sup>1</sup>. According to Metoui et al. [69], it was found that the DPPH radical inhibition could attain 55.47% for the Korkobi date variety when using palm date seeds extract at a concentration of 23.6 µg/ml<sup>1</sup>. In an Algerian study (Djaoudene et al. [71]) about date seeds (*Phoenix dactylifera* L.), the Ouaouchet and Ourous cultivars extracts displayed the most potent antioxidant capacity against DPPH free radicals (IC<sub>50</sub> = 37.30 µg/ml<sup>1</sup>). Our results were in accordance with those found by Agustini et al. [54], who

Figure 1. Probability versus residues values for hardness, friability and disintegration time.

found that the IC<sub>50</sub> of spirulina extract was equal to 33.07 g/ml<sup>1</sup>.

### 3.5. Experimental design methodology

In order to determine the effect of the percentage of date stone, spirulina powder and water and their interactions on the quality of our tablets, we used the D-Optimal Mixture Design in Optimizing 3-factor design. Table 2 illustrates the 15 tests results carried out according to the factorial model describing the combination between the different levels of the factors.

The response model proposed by the D-Optimal Mixture Design is written as follows:

$$Y = b_1 X_1 + b_2 X_2 + b_3 X_3 + b_{12} (X_1 \times X_2) + b_{13} (X_1 \times X_3) + b_{23} (X_2 \times X_3)$$

with:

Y: the studied response

b<sub>1</sub>, b<sub>2</sub>, b<sub>3</sub>: coefficient linked to the following factors: percentage of date stone powder, spirulina powder and water content.

b<sub>12</sub>, b<sub>13</sub> and b<sub>23</sub>: coefficients linked to the crossing of the three factors.

#### 3.5.1. D-Optimal Mixture Design validation

The validation of this model was based on the verification of three statistical tests; the model's linear Pearson coefficient of determination ( $R^2$ ), the analysis of variance and the analysis of residuals. The coefficient of determination was 0.91, 0.90 and 0.89 for hardness, friability and disintegration time, respectively. Statistically,  $R^2$  is a measure of the quality of the prediction of a linear regression. The closer the coefficient of determination is to 0, the more the

cloud of points is dispersed around the regression line. On the contrary, the more  $R^2$  tends towards 1, the more the cloud of points tightens around the regression line [72]. In our study, all the coefficients were close to 1, which confirms the good distribution of hardness, friability and disintegration time responses according to the proposed model. The adjusted R-squared ( $R^2_{adj}$ ) for hardness, friability, and disintegration time were 0.86, 0.84, and 0.82, respectively. Their values are very close to the values of  $R^2$ . This proves that all significant terms have been included in the empirical models.

The analysis of variance is illustrated in Table 4. The ratio of the sum of squares and mean square for hardness, friability and disintegration time (17.83, 15.89 and 13.9, respectively) were superior to 4.77 extracted from the Fisher-Snedecor Law Table at  $\alpha = 5\%$  for (5,9) as degrees of freedom [73]. Consequently, the significant variables ( $X_1$ ,  $X_2$ ,  $X_3$ ), applied to intricate the three response models, were highly significant on their responses (hardness, friability and disintegration time). For residues analysis, Figure 1 shows the distribution of the residues versus probability for the three responses. The points were virtually randomly dispersed, showing that the errors found by our model are not systematic.

#### 3.5.2. Significance of the factors for the three responses hardness, friability and disintegration time

The results of the present study (Table 5) show that the three factors ( $X_1$ ,  $X_2$  and  $X_3$ ) exert a highly significant influence on hardness, friability and disintegration time of the tablets. For the interaction effect, the results obtained (Table 5) show that the interaction b<sub>12</sub> (date stones—Spirulina) was the most



Table 4. Proposed model validation parameters

	Sum of squares	Degrees of freedom	Mean square	Ratio	Signi cation
<b>Hardness</b>					
Regression	62.89	5	12.58	17.83	p Ç 0.001 <sup>****</sup>
Résidus	6.35	9	0.71		
Total	69.23	14			
R <sup>2</sup>	0.91				
R <sup>2</sup> çadj	0.86				
<b>Friability</b>					
Regression	0.07	5	0.01	15.89	p Ç 0.001 <sup>****</sup>
Résidus	0.01	9	0		
Total	0.07	14			
R <sup>2</sup>	0.90				
R <sup>2</sup> çadj	0.84				
<b>Disintegration time</b>					
Regression	989,104	5	197,821	13.9	p Ç 0.001 <sup>****</sup>
Résidus	128,060	9	14228.9		
Total	1,117,160	14			
R <sup>2</sup>	0.89				
R <sup>2</sup> çadj	0.82				

signi cant with a positive coe Y cient of 13.96 for the hardness. This translates physically into the fact that the hardness of the tablets increases with the date stone and spirulina powder content. For friability, the interaction b23 was the most signi cant one, with a positive coe Y cient 0.42. The same trend was found for disintegration time with 1295.23 as a coe Y cient. This is physically explained by the increase in friability and disintegration time following the increase in water and spirulina powder. By replacing the significant coe Y cients in the equations of the model, we can describe for each factor its own equation:

$$\begin{aligned}
 Y_{(\text{Hardness})} &= 13.38 \square X1 \mathring{A} 18.24 \square X2 \mathring{A} 13.72 \square X3 \\
 &\mathring{A} 13.96 \square (X1 \square X2) \mathring{A} 8.14 \square (X1 \square X3) \\
 &\mathring{A} 10.93 \square (X2 \square X3) \\
 Y_{(\text{Friability})} &= 0.18 \square X1 \mathring{A} 0.30 \square X2 \mathring{A} 0.15 \square X3 \\
 &\mathring{A} 0.28 \square (X1 \square X2) \mathring{A} 0.42 \square (X2 \square X3) \\
 Y_{(\text{Disintegration time})} &= 632.13 \square X1 \mathring{A} 1157.69 \square X2 \\
 &\mathring{A} 540.44 \square X3 \mathring{A} 1174.20 \square (X1 \square X2) \\
 &\mathring{A} 1295.23 \square (X2 \square X3)
 \end{aligned}$$

With these models, it is possible to calculate all the responses in the study area by assigning values to levels X1, X2 and X3 to immediately obtain the content of each response.

### 3.5.3. Analysis and optimization of the response surface

According to Mohamad Zen et al. [30], in statistical methods, the response surface design is used to discover the eVects of process variables on the speci c responses of a system. In our study, the surfaces for the three responses hardness, friability and disintegration time, are shown in Figure 2. The contour plots of the mixture show that hardness decreased significantly with the addition of water and date stones powder. This observation was con rmed for friability and disintegration time. The graphical search for the optimal zeta potential showed that the percentage of spirulina powder clearly correlated with the increase in all responses. Indeed, these observations were consolidated by the analysis of the coefficients of Table 5, the interaction b12 and b23 was

Table 5. CoeY cient values and their statistical signi cance for di Verent responses

CoeY cient	Hardness		Friability		Disintegration time	
	Value	Signif (%)	Value	Signif (%)	Value	Signif (%)
Linear eVects						
b1	13.38	***	0.18	***	632.13	***
b2	18.24	***	0.30	***	1157.69	***
b3	13.72	***	0.15	***	540.44	***
Quadratic eVects						
b12	13.96	**	0.28	*	1174.20	*
b13	8.14	*	0.06	62.40%	141.77	75.30%
b23	10.93	**	0.42	**	1295.23	*

Signif, %: p-value  $\leq 0.05$  (\*),  $\leq 0.01$  (\*\*),  $\leq 0.001$  (\*\*\*) mean signi cant, very signi cant and strongly signi cant, respectively.

Table 6. Desirability results and optimal formulation parameters

Responses	Values	D %	Factors	Coded values	Real values (g)
Hardness	15.75	100.00	Date stone powder	0.53	13.83
Friability	0.18	91.27	Spirulina powder	0.12	81.2
Disintegration time	642.25	100.00	Water content	0.4	1.4
Total Desirability: 97%					

distinguished by a positive coe Y cient for all the responses. The eVect of moisture on tablet formulation has been widely studied, and it has been demonstrated that increased moisture causes deterioration of tablets by increasing the percent friability [74].

#### 3.5.4. Desirability study

The NemrodW software for D-Optimal Mixture Design processing made it possible to simultaneously optimize the three responses, as it is an entirely numerical procedure which allows the mathematical search for a combination of formulation parameters for which the desired responses are optimal. The software used uses these functions for each response, a curve profile of the desirability function is chosen (Figure 3). The desirability (D) is zero for an unsuitable answer and is maximum when the given answer is very satisfactory. The desirability prediction was programmed to be at 100% for increasing the hardness to the superior limit found in the experimental matrix (19 kp), friability was minimized to 0.16%, and disintegration time to 600 s. These limits represent the best values found in our previous section. Table 6

gives the constituent values of the tablet formulation with a D of 97% which gives us the optimal tablet formula with the ingredient proposals proposed by the function. The optimal formula was 13.83 g date stone powder, 81.2 g spirulina powder and 1.4 g water.

#### 3.6. Physicochemical characterization of tablets

The results of the physicochemical properties of the tablets formulated according to the results of previous section are summarized in Table 7. The physical parameters of the tablets showed that the optimal formulation gave a uniform and stable tablet. This was confirmed by friability measurement which was comparable to that predicted by the statistical analysis (0.18  $\pm$  0.03%). Likewise, for the disintegration time (625  $\pm$  12 s). The composition analysis revealed a richness in carbohydrates, proteins, lipids and fibres (36.01  $\pm$  5.36, 32.68  $\pm$  5.02, 4.88  $\pm$  0.22 and 16.25  $\pm$  1.82%, respectively). The antioxidant activity was characterized with a DPPH IC<sub>50</sub> of 47.31  $\pm$  3.4  $\mu$ g/ml with a polyphenol content of 18.75  $\pm$  3.01 mgEAG/tablet. Phycocyanin was also

Figure 2. 3D and 2D graphical study of response surface optimization for hardness, friability and disintegration time.

Figure 3. Desirability study for hardness, friability and disintegration time.

dosed and an amount of 417.44 § 19.32 g/tablet has been recovered.

### 3.7. Swelling and erosion test

Once consumed, the tablets enter the digestive tract or the stomach and will undergo a spontaneous process of adsorption by macromolecules accompanied by a significant increase in volume. In order to study the rheological behaviour of the constituents of two solid matrices (powder of date stones and spirulina) at the level of the digestive system, simulated gastric

fluid (SGF, pH 1.2) and simulated intestinal fluid (SIF, pH 6.8) were used. As shown in Figures 4A and B, the rate of swelling and erosion depended on the ingestion time and type of medium. The tablet placed in distilled water was the least swollen, followed by SIF and then SGF. This shows that the capacity of our tablet to adsorb water depends on the pH and it was higher with an acidic pH. This observation can be explained by the protonation of the compounds which constitute our tablet rich in carbohydrates and fibres. Protonation promotes the formation of hydrogen bonds which stabilizes the swelling. Our results

Table 7. Physicochemical characteristics of the tablets

Characteristics	Values
Weight (mg)	402 § 5.20
Hardness (Kp)	13.69§ 2.01
Thickness (mm)	4.04 § 0.08
Diameter (mm)	9 § 0.36
Friability (%)	0.18 § 0.03
Disintegration time (sec)	625 § 12
Humidity (%)	1.77 § 0.12
Carbohydrate	36.01 § 5.36
Proteins	32.68§ 5.02
Lipids	4.88 § 0.22
Fibres	16.25§ 1.82
Total polyphenol content (mgEAG/tablet)	18.75 § 3.01
Antioxidant activity: DPPH IC <sub>50</sub> ( g/ml <sup>i</sup> )	47.31§ 3.4
Phycocyanin ( g/tablet)	417.44 § 19.32

The values shown in this table were the mean of triplicates and given as mean § SD (n =3).

were in agreement with that found by Akhgari et al. [75] that the swelling and erosion of a pectin-based tablet depends on the pH of the medium, and that this biopolymer decreases the rate of swelling which can influence tablet stability.

### 3.8. In vitro phycocyanin release study

The ability of tablets to dissolve and release their active ingredients is naturally affected by how well they can break apart and disintegrate in the body. If a tablet cannot erode or disintegrate effectively, it may not release its active ingredients as intended, which could affect its effectiveness [76]. The in vitro phycocyanin release profiles from the tablets prepared with date stone and spirulina powders were studied in SGF (pH 1.2) and SIF (pH 7.4) using USP dissolution apparatus according to Pharmacopoeia [32]. As seen in Figure 4C, the release rate of phycocyanin from formulated tablets increases significantly in distilled water (100% in 30 min) compared to the other media. Thus, tablets showed a slower release rate in the acidic medium (56.20% in 30 min). This variation may be due to the structure of the carrier used in tablet formulation [77]. In SIF, the dissolution of the tablet favoured a slow diffusion of the active principle towards the external environment. Sustained release forms are designed to reduce the frequency of

administration of drugs with short elimination half-lives and short duration of action [78]. These forms also limit fluctuations in the plasma concentration of the drug, ensuring a more regular therapeutic effect while minimizing side effects [79]. The sustained release of antioxidants and anti-inflammatories has been very effective and in high demand by drug developers [77].

### 3.9. Fourier transform infrared (FTIR) spectroscopic analysis of tablets

As seen in Figure 5, the following functional categories are represented by the FTIR analyses of the date stone and the spirulina tablets. The O–H stretching vibration, representing the carbohydrates, and the presence of amino acids were all represented by the frequency range from 3700 to 3200 cm<sup>-1</sup> in the FTIR spectrum. The existence of secondary amines (protein, lipid) in the N–H stretching vibration was represented by frequency ranges from 3300 to 3000 cm<sup>-1</sup>, while the presence of aliphatic C–H stretching vibration is represented by frequency ranges from 2980 to 2830 cm<sup>-1</sup>. The frequency ranges between 1750 and 1710 cm<sup>-1</sup> are a representation of the vibration of C=O (ester and amino acid). The N–H bending vibration in the -carbonyl unsaturated keto-amide is

Figure 4. Swelling (A) and erosion (B) test of the spirulina tablets in distilled water (D water), simulated gastric fluid (SGF) and simulated intestinal fluid (SIF), (C) Phycocyanin release rate as a function of immersion time in different solutions of spirulina tablets.

Figure 5. Fourier transform infrared (FTIR) spectroscopic spectrum of the date stone and spirulina tablets.

made up of the 1640–1590  $\text{cm}^{-1}$ . The frequency ranges from 1445–1400  $\text{cm}^{-1}$  resulting from  $\delta$   $\text{CH}_2$  bending vibration ( $\text{CH}_2\text{-CO-}$ ) indicated the presence of carbonyl compounds. The particular frequency ranging 1360–1250  $\text{cm}^{-1}$  characterized the C–O stretching. O–H bending vibration confirmed the presence of alcohol. The frequency ranges from 1310–1240  $\text{cm}^{-1}$  confirmed presence of C–O asymmetric C–O–C stretching (presence of esters), the bond with frequency value representing the 1070–1000  $\text{cm}^{-1}$  range corresponds to the symmetric stretching vibration of  $-\text{SO}_3$ , indicating the presence of sulphonate bonds. The S–O stretching vibration of sulphonic components can be detected by frequencies ranging from 700 to 600  $\text{cm}^{-1}$ . The observations of the protein, lipid, sulphonate and amino acid content were to categorize spirulina powder. The results obtained after the functional study confirmed by FTIR showed the dominance of the specific functions of spirulina. Its richness in proteins was confirmed by the carbonyl beta-unsaturated keto-amide (C $\alpha$ N) groups, and the sulfated polysaccharides were confirmed by R– $\text{SO}_3$  functions. Our study agrees with the work of Dotto et al. [80] where they found that the main intensity bands of spirulina were located at 3269, 2918, 1660, 1627, 1548, 1409, 1028, and 850  $\text{cm}^{-1}$ . At 3269  $\text{cm}^{-1}$ , the O–H bond stretching combined with the  $\text{NH}_2$  group may be seen. The peak of 2918  $\text{cm}^{-1}$  is related to the stretching of  $\text{CH}_2$ . At 1660  $\text{cm}^{-1}$ ,  $\text{NH}_2$  groups may be seen scissor bending. C $\alpha$ C stretching may be seen at 1627 and 1548  $\text{cm}^{-1}$ . The bands at 1409 and 1028  $\text{cm}^{-1}$  are perhaps –S–O and –P–O, respectively. Similarly, Venkatesan et al. [81] recorded spirulina FTIR spectra in the region of 3428–3320  $\text{cm}^{-1}$  to 620–490  $\text{cm}^{-1}$  in the different frequency ranges.

#### 4. Conclusion

In conclusion, our work has demonstrated that spirulina powder and date stones are a potential source of essential nutrients and have active ingredients such as phenolic compounds and phycocyanin. The valorisation of these compounds was made by the formulation of a food supplement in the form of a tablet having the purpose of delivering phycocyanin. The final formula was optimized by a statistical model (D-Optimal Mixture Design) involving the physicochemical parameters of the tablets.

The final formula was effective in terms of controlled release in simulated gastric and intestinal fluids. According to the results of the FTIR study, our tablet comprises protein, lipid, carbohydrate, aliphatic (C–H), carbonyl (esters and acid), carbonyl beta unsaturated ketone amide (C $\alpha$ N), ester, symmetric C–H stretching vibration, and sulfated chemicals (R– $\text{SO}_3$ ). Thus, more distinctive characteristics may be seen in the FTIR spectrum. These phytochemicals may have some significant biological effects.

#### Conflicts of interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

#### References

- [1] R. Raja et al., *Crit. Rev. Microbiol.*, 2008, 34, 77-88.
- [2] V. Zanolta et al., *J. Appl. Phycol.*, 2022, 34, 1189-1199.
- [3] S. Avci, B. Haznedaroglu, *J. Appl. Phycol.*, 2022, 34, 1-12.
- [4] L. Bergandi, G. Apprato, F. Silvagno, *Antioxidants*, 2022, 11, article no. 201.
- [5] I. P. Macário et al., *J. Chem. Technol. Biotechnol.*, 2022, 97, 1171-1179.
- [6] S. Braune et al., *Life*, 2021, 11, article no. 91.
- [7] M. Agrawal, S. Bansal, K. Chopra, *J. Food Sci. Technol*, 2021, 58, 4382-4390.
- [8] A. S. Shamsabadi, M. Bazarganipour, H. Tavanai, *Polym. Bull.*, 2022, 76, 1-11.
- [9] A. I. Attia et al., *Animals*, 2021, 11, article no. 1133.
- [10] M. I. Hussain et al., *Plants*, 2019, 8, article no. 497.
- [11] S. A. Jassim, M. A. Naji, *Evid.-based Complement. Altern. Med.*, 2010, 7, 57-62.
- [12] M. Al-Farsi et al., *Food Chem.*, 2007, 104, 943-947.
- [13] N. Chaira et al., *Biotechnol. Bioeng.*, 2007, 6, 251-256.
- [14] S. Besbes et al., *Food Chem.*, 2004, 84, 577-584.
- [15] R. C. Silva et al., *Floresta*, 2019, 50, 953-960.
- [16] N. Yuwana, *J. Teknol.*, 2021, 4, 19-23.
- [17] H. A. Pawar, A. J. Gavasane, P. D. Choudhary, *Int. J. Biol. Macromol.*, 2018, 115, 871-875.
- [18] M. Hayes, *Foods*, 2020, 9, article no. 1340.
- [19] S. Z. Asadi, M. A. Khan, R. V. Chamarthy, *J. Food Sci. Technol*, 2021, 58, 1839-1847.
- [20] K. Msaada et al., *Int. J. Food Prop.*, 2016, 19, 1381-1390.
- [21] Y. Li et al., *Plant Methods*, 2019, 15, 1-11.
- [22] E. Vila et al., *Biotechnol. Rep.*, 2019, 21, article no. e00306.
- [23] W. S. Park et al., *Molecules*, 2018, 23, article no. 2065.
- [24] A. Dash, S. Singh, *Pharmaceutics: Basic Principles and Application to Pharmacy Practice*, Elsevier, Amsterdam, 2013.
- [25] P. Singh, G. Mishra, S. C. Dinda, "Natural excipients in pharmaceutical formulations", in *Evidence Based Validation of Traditional Medicines*, Springer, Cham, 2021, 829-869.

