



Supplementary material: The SISFRANCE database of historical seismicity. State of the art and perspectives

**Hervé Jomard^{®*}, ^{a, d}, Oona Scotti[®] ^{a, d}, Samuel Auclair[®] ^{b, d}, Pascal Dominique[®] ^{b, d},
Kévin Manchuel[®] ^{c, d} and Déborah Sicilia^{c, d}**

^a Institut de Radioprotection et Sûreté Nucléaire, BERSSIN - 92262
Fontenay-aux-Roses, France

^b BRGM, Risk and Prevention Division, 3, avenue Claude-Guillemin, BP 36009, 45060,
Orléans Cedex 2, France

^c EDF-DIPNN-CEIDRE-TEGG, 905 avenue du Camp de Menthe, 13097, Aix en
Provence Cedex 02, France

^d GT SISFRANCE (SISFRANCE working group)

E-mails: herve.jomard@irsn.fr (H. Jomard), oona.scotti@irsn.fr (O. Scotti),
s.auclair@brgm.fr (S. Auclair), p.dominique@brgm.fr (P. Dominique),
kevin.manchuel@edf.fr (K. Manchuel), deborah.sicilia@edf.fr (D. Sicilia)

* Corresponding author.

Figure 5, detailed for each intensity class

Number of macroseismic data points (MDP) for each event of the EPCSIRENE table of SISFRANCE. Colours correspond to the 5 intensity classes defined in Figure 2. Linear regressions associated with each intensity class are provided on each plot (dark line), established for the overall period covered by the database.



